

SOUTH AUSTRALIA.

---

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,  
AND MARRIAGES.

1900.

---

ADELAIDE:

BY AUTHORITY: C. E. BRISTOW, GOVERNMENT PRINTER, NORTH TERRACE.

1901.





# REGISTRAR-GENERAL OF BIRTHS, ETC.—ANNUAL REPORT, 1900.

Office of Registrar-General of Births, &c., August 6th, 1901.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in South Australia in the year 1900.

Near the end of the report will be found, under their proper heading, some observations and statistics respecting the Northern Territory; but, with these exceptions, and except also where the Territory is specially mentioned, everything written with regard to the State, in either the report itself or the tables accompanying it, must be understood as referring to the southern part only—that is, to South Australia proper.

## POPULATION.

Since the publication of the preliminary returns of the recent census the estimates of population, and the various calculations based on them, have—provisionally, until the final census returns are issued—been revised back to the end of the year 1894. This revision has taken up a good deal of time, and has somewhat retarded the preparation of this report, but it was absolutely necessary, for although during the intercensal period reductions for unrecorded departures, amounting altogether to over 13,000, were allowed in computing month after month the population of South Australia proper, yet the estimated population for the last day of last March exceeded by 13,204 the enumerated population for the same day as shown in the census returns.

It is evident that in preparing estimates of population in future the allowances for unrecorded departures will have to be considerably increased.

On December 31st, 1900, the estimated population of South Australia, exclusive of the inhabitants of the Northern Territory and of aborigines, was 356,698, viz., 180,317 males and 176,381 females. This showed an advance of 2,109 on the estimated population at the beginning of the year. All these figures are based on the revised estimates of population both for the beginning and for the end of 1900.

The following table, compiled from the quarterly returns of the Collector of Customs published in the *Government Gazette*, shows the distribution as to route of the recorded immigration and emigration in 1900:—

Route.	INWARDS.				OUTWARDS.			
	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.
By sea.....	18,263	8,688	2,128	2,015	17,065	9,064	2,238	2,050
Via Morgan.....	354	148	30	41	264	135	29	34
Via Cockburn.....	11,801	7,035	1,725	1,592	10,450	6,752	1,753	1,608
Via Serviceton.....	13,245	8,062	1,394	1,268	15,455	8,769	1,363	1,230
	43,663	23,933	5,277	4,916	43,234	24,720	5,388	4,922

Taken as they stand (that is, without considering an allowance which has been made for unrecorded departures—1,887 males and 898 females) the figures in the table would show that, with respect to persons over 12 years of age, the population gained 429 males and lost 787 females, and that in regard to children under that age it lost 111 males and 6 females, the result being an increase of 318 males and a decrease of 793 females. The figures in the table show also that there was a gain of 111 persons *via* Morgan, of 1,585 *via* Cockburn, and of 677 by sea; while there was a loss of 2,848 *via* Serviceton.

The estimated mean population for the year was 353,895 (178,707 males and 175,188 females), being greater by 2,664 than the mean population of 1899.

Throughout this report, and the statistical tables accompanying it, the annual rates of births, deaths, and marriages to population are invariably calculated on the mean populations of the years referred to.

## BIRTHS.

The births registered in 1900 numbered 9,143, being fewer by 254 than those recorded in 1899, and, with one exception, being the lowest number registered in any year since 1877. The birth rate per 1,000 of the mean population was 25·84, against 26·75 in 1899, and, except the rate for 1898, was below that of any other of the last forty years. As explained and clearly shown in the annual report for 1898, the continued falling off in the number of births and the birth rate in recent years has been chiefly owing to the fact that instead of celebrations of marriages becoming more numerous each year with the advance of population, they have been actually fewer than they were several years ago. There was, however, a slight improvement in this respect in 1898, 1899, and 1900, the number of marriages in each of these years exceeding a little the number celebrated in the year immediately preceding it.

The natural addition to the population from the excess of births over deaths was 5,369. Of the total births registered 4,641 were male births and 4,502 female, the proportion of the former to 100 of the latter being 103·09. In England, according to recent returns, the proportion for the five years ended with 1899 was 103·56, while the latest “Victorian Year Book” gives, omitting fractions, 105 as the ratio for the Australian States and New Zealand, taken together, the calculation being based on the returns for the five years 1893-97.

In the first quarter of 1900 the births registered in South Australia numbered 2,287, in the second 2,463, in the third 2,209, and in the fourth 2,184.

By means of a tabular statement, which will be found later on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

*Illegitimate Births.*—The births entered in 1900 as illegitimate numbered 388 (180 males and 208 females), against 371 in the previous year. The percentage of illegitimate births to the total births registered during the year was 4·24.

The following table shows the percentages in the six Australian States, New Zealand, and the different parts of the United Kingdom in the years specified :—

	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	Mean.
South Australia ....	2·93	2·93	2·84	3·05	3·13	3·46	3·53	3·62	3·95	4·24	3·37
New South Wales ..	5·36	5·72	6·22	6·26	6·51	6·70	6·58	6·93	7·16	7·01	6·45
Victoria .....	5·26	5·59	5·46	5·51	5·33	5·63	5·41	5·33	5·49	5·91	5·50
Queensland .....	4·65	5·05	4·91	4·52	4·93	5·22	6·02	6·03	5·97	6·40	5·37
Western Australia ..	—	5·89	4·16	4·66	4·47	5·61	5·27	4·99	4·91	4·82	4·98
Tasmania .....	4·05	4·75	4·40	5·09	4·97	5·91	5·74	5·09	6·07	5·43	5·15
New Zealand .....	3·49	3·32	3·70	3·80	4·50	4·48	4·48	4·23	4·40	4·64	4·10
England and Wales..	4·2	4·2	4·2	4·3	4·2	4·2	4·2	4·2	4·0	—	4·19
Ireland .....	2·7	2·5	2·6	2·7	2·7	2·6	2·6	2·7	2·6	—	2·63
Scotland .....	7·66	7·40	7·45	7·28	7·23	7·19	6·97	6·81	6·50	—	7·17

For the convenience of reference and of comparison the South Australian rates of illegitimacy for twenty years are here appended :—

1881 .....	2·25	1892 .....	2·93
1882 .....	2·25	1893 .....	2·84
1883 .....	1·75	1894 .....	3·05
1884 .....	2·10	1895 .....	3·13
1885 .....	2·42	1896 .....	3·46
1886 .....	2·38	1897 .....	3·53
1887 .....	2·49	1898 .....	3·62
1888 .....	2·67	1899 .....	3·95
1889 .....	2·47	1900 .....	4·24
1890 .....	2·50		
1891 .....	2·93		
		Mean of twenty years .....	2·85

DEATHS.

The deaths registered in 1900 numbered 3,774, being fewer by 632 than those of the previous year, and being the lowest number recorded in any year since 1892. The deaths of males were 1,994, and of females 1,780, the proportion of the former to 100 of the latter being 112·02, which was greater by 8·93 than the proportion of male to female births. Of the total number of deaths recorded in the year 1,008 were registered in the first quarter, 870 in the second, 921 in the third, and 975 in the fourth, the mortality of the second half of the year being, contrary to what commonly happens, greater than that of the first. The death rate per 1,000 of the mean population was 10·65. It was less by 1·89 than that of 1899, and was the lowest death rate on record. It may be stated here that in every one of the sixteen years 1885-1900 the death rate was low.

By means of the tabular statement which has already been referred to, and which will be found later on, the death rate of South Australia can be compared with the death rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

*Causes of Death.*—Arranged in their respective classes and numbers, the causes of death in 1900 and the previous year were as follows :—

	1899.	1900.
I. Specific febrile or zymotic diseases .....	777	423
II. Parasitic diseases .....	12	14
III. Dietetic diseases .....	23	18
IV. Constitutional diseases .....	683	662
V. Developmental diseases .....	482	413
VI. Local diseases .....	1,898	1,796
VII. Violence .....	288	240
VIII. Ill-defined and not specified causes .....	243	208



It will be seen from this that, comparing the causes of death in the two years by classes, there was in 1900 a decrease in every class except the second, which is numerically the least important one, and in which the increase was only 2. The decrease, amounting to 354, in the specific febrile or zymotic class is noteworthy, and it may be added that the deaths attributed to this class of diseases were fewer in 1900 than in any other of the last thirty years.

As very full particulars are given in the tables accompanying this report respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class and a few of the other causes.

*Scarlet Fever, Measles.*—There were 5 deaths from scarlet fever, against 16 in 1899, and only 2 deaths from measles, against 27 in 1899.

*Whooping Cough.*—There were 29 deaths from whooping cough, against 106 in 1899.

*Enteric Fever.*—The deaths from enteric or typhoid fever numbered only 57 (32 males and 25 females), being fewer by 54 than those registered in 1899, and being the lowest number recorded in any year since 1872.

The following table shows the death rates from this disease per 1,000 of the mean population for the last nineteen years:—

1882.....	0.51	1893.....	0.18
1883.....	0.46	1894.....	0.23
1884.....	0.44	1895.....	0.21
1885.....	0.43	1896.....	0.27
1886.....	0.31	1897.....	0.31
1887.....	0.47	1898.....	0.42
1888.....	0.35	1899.....	0.32
1889.....	0.42	1900.....	0.16
1890.....	0.30		
1891.....	0.23		
1892.....	0.26		
		Mean of nineteen years .....	0.33

For comparison it may be stated that in England, according to the most recent returns of the Registrar-General, the rate in 1899 was only 0.20, and the mean annual rate for the quinquennium ended with that year 0.18, while recent returns give the rates in the Australian States and New Zealand as follows:—

Western Australia .....	1899 ..	0.88	Queensland .....	1899 ..	0.29
South Australia .....	1899 ..	0.32	Tasmania .....	1899 ..	0.27
Victoria .....	1899 ..	0.29	New Zealand .....	1899 ..	0.12
New South Wales .....	1898 ..	0.29			

It would seem, therefore, that in reference to enteric fever the Australian States compare unfavorably with England and New Zealand. Only 4 of the deaths in this State from enteric fever in 1900 were of children under 5 years of age, and only 3 of persons over 45.

In the annual report for 1889 it was stated that “As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths.” For similar reasons minute details of such distribution are not given in this present report; but it may be stated that 18 of the deaths occurred in the four districts forming “Adelaide and suburbs” (that is, Adelaide, Norwood, Hindmarsh, and Port Adelaide), only 4 in the districts south of Adelaide district, and the remaining 35 in the other parts of the State.

It is noteworthy how very few deaths from this disease occur in all that portion of the State which lies south of the district of Adelaide. From 1887 to 1900 they numbered in each year respectively only 4, 8, 8, 9, 1, 1, 2, 4, 5, 1, 2, 3, 3, and 4.

The deaths from enteric fever in 1900 were distributed over the whole year, though the mortality from it during the first six months was very much greater than that during the remainder of the year.

*Diphtheria, Croup.*—The deaths from diphtheria numbered 32 (12 males and 20 females), being fewer by 8 than those registered in 1899. The proportion of deaths from this disease per 1,000 of the mean population was 0.09. Only 6 of the deaths were of persons over 10 years of age. Judging from the returns of several years, it would seem that though no age protects a person from liability to an attack from this malady, the mortality from it is chiefly confined to children under 10 years old. Of the total deaths from this disease 20 were registered in the four districts forming “Adelaide and suburbs,” 3 in the districts south of Adelaide district, and the remaining 9 in the other parts of the State.

Both in Australasia and in England there seem to be, in many cases, considerable difficulty and uncertainty in distinguishing between diphtheria and croup. Occasionally, therefore, statistical writers count together the deaths from these two diseases. The deaths from croup in 1900 numbered 6 (5 males and 1 female), against 9 in the previous year.

*Influenza, or la Grippe.*—The deaths from influenza in 1900 numbered 46 (22 males and 24 females), against 218 in the previous year. Ever since 1890, inclusive, this disease has been very destructive, though for many years before that time it troubled the State but very little.

*Phthisis.*—The deaths from phthisis were 299 (147 males and 152 females), being fewer by 13 than the number registered in 1899. Of the total deaths from all causes 7.92 per cent. were attributed to phthisis, against 7.08 in the previous year, while the proportion of deaths from this disease per 1,000 of the mean population was 0.84, against 0.89 in 1899.

The following table shows the proportions for the last sixteen years:—

1885.....	0.99	1894.....	1.04
1886.....	1.12	1895.....	0.98
1887.....	1.16	1896.....	0.89
1888.....	1.19	1897.....	0.90
1889.....	0.94	1898.....	0.91
1890.....	0.94	1899.....	0.89
1891.....	1.04	1900.....	0.84
1892.....	0.94		
1893.....	1.01		
		Mean of sixteen years .....	0.99

In England the proportion in 1899 was 1·34, being the same as the mean annual rate (1·34) for the quinquennium ended with that year, and being the third lowest rate ever recorded there.

If the English and the South Australian rates for either 1899 or the quinquennium ended with that year be carefully studied, it will be found that such a portion of population as would in this State yield exactly 6 deaths from phthisis would in England yield about 9 deaths. Such is the fact, although in the latter country females, who are less liable than persons of the other sex to become victims to consumption, considerably outnumber the males, whereas in South Australia the male population is the more numerous. Furthermore, phthisis is so frequently complicated with bronchitis or pneumonia, or both, that in many a case of death it must be very difficult—perhaps impossible—to decide with certainty as to which of these three lung diseases should be set down as the *principal* cause of the fatal result; and, of course, this uncertainty affects more or less the classification in the mortality tables, as the undue inflation of the death record from any one of the three may have the effect of unduly lessening the recorded mortality from the others. This being so, it is not possible to have a clear view of the real significance of the recorded death rate from one of these diseases unless the corresponding death rates from the other two are also taken into account. Now, in 1899 the death rates from bronchitis and pneumonia, per 1,000 of the population, were in England 1·61 and 1·26 respectively; whilst in South Australia they were only 0·46 and 0·60 respectively. The combined death rate in that year from phthisis, bronchitis, and pneumonia was 4·20 in England, and only 1·95 in this State—that is to say, very much less than half. From these facts it will be evident that, in reference to mortality from phthisis and the two other most destructive diseases of the lungs, South Australia compares very favorably indeed with the mother country.

For comparison the death rates from phthisis of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria .....	1899 ..	1·14	New Zealand .....	1899 ..	0·79
South Australia .....	1899 ..	0·89	Western Australia .....	1899 ..	0·68
New South Wales .....	1898 ..	0·82	Tasmania .....	1899 ..	0·59
Queensland .....	1899 ..	0·80			

*Cancer.*—The deaths from cancer (including all malignant new growths) numbered 210 (103 males and 107 females), being more by 7 than those registered in 1899, and being the greatest number ever recorded in one year. The proportion of deaths from this disease per 1,000 of the mean population was 0·59, against 0·58 in the previous year.

For the last sixteen years the rates were as follows :—

1885 .....	0·32	1894 .....	0·47
1886 .....	0·34	1895 .....	0·48
1887 .....	0·36	1896 .....	0·54
1888 .....	0·38	1897 .....	0·54
1889 .....	0·43	1898 .....	0·53
1890 .....	0·41	1899 .....	0·58
1891 .....	0·49	1900 .....	0·59
1892 .....	0·45		
1893 .....	0·51		
		Mean of sixteen years .....	0·46

In England the proportion in 1899 was 0·83, which was above the mean annual rate (0·79) for the quinquennium ended with that year, and was in fact the highest rate ever recorded there. For comparison the rates of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria .....	1899 ..	0·72	Tasmania .....	1899 ..	0·53
New Zealand .....	1899 ..	0·62	Queensland .....	1899 ..	0·46
South Australia .....	1899 ..	0·58	Western Australia .....	1899 ..	0·36
New South Wales .....	1898 ..	0·54			

All the deaths in South Australia in 1900 from cancer, except 11, were of persons over 30 years of age.

*Diseases and Accidents of Pregnancy and Childbirth.*—The deaths ascribed in 1900 to these causes, including puerperal fever, were 45, against 40 in the previous year. The proportion which deaths from these causes bore to 1,000 registered births was 4·92, against 4·26 in 1899. The following table shows the proportions in South Australia, Victoria, and England in the years specified :—

	South Australian Rate.		Victorian Rate.		English Rate.
1882 .....	6·46	....	6·58	....	5·09
1883 .....	4·39	....	5·74	....	5·06
1884 .....	4·14	....	7·04	....	4·79
1885 .....	4·40	....	5·61	....	4·98
1886 .....	3·22	....	6·23	....	4·29
1887 .....	4·99	....	5·27	....	4·69
1888 .....	4·09	....	5·42	....	4·73
1889 .....	2·81	....	4·48	....	4·05
1890 .....	3·67	....	5·30	....	4·89
1891 .....	5·68	....	4·99	....	5·24
1892 .....	4·36	....	4·63	....	5·78
1893 .....	5·24	....	4·90	....	6·51
1894 .....	4·01	....	5·31	....	5·36
1895 .....	4·56	....	5·67	....	4·57
1896 .....	7·79	....	5·87	....	4·98
1897 .....	4·09	....	6·45	....	4·61
1898 .....	6·71	....	5·63	....	4·41
1899 .....	4·26	....	—	....	4·66
1900 .....	4·92	....	—	....	—
Mean .....	4·73	....	5·60	....	4·93

*Infantile*



*Infantile Mortality.*—The deaths of infants under 1 year of age numbered 911 (471 males and 440 females), against 1,049 in 1899, and were in the proportion of 9·96 to 100 births registered. From 1885 to 1900 the proportions were as follows:—

1885 .....	11·34	1893 .....	11·65
1886 .....	12·61	1894 .....	9·39
1887 .....	11·12	1895 .....	9·49
1888 .....	9·59	1896 .....	10·14
1889 .....	9·42	1897 .....	10·91
1890 .....	9·65	1898 .....	13·99
1891 .....	9·09	1899 .....	11·16
1892 .....	9·69	1900 .....	9·96

The most recent returns give the proportions in the other Australian States and New Zealand as follows:—

Western Australia .....	1900 ..	12·61	Victoria .....	1900 ..	9·54
New South Wales .....	1900 ..	10·33	Tasmania .....	1900 ..	8·00
Queensland .....	1900 ..	9·84	New Zealand .....	1900 ..	7·52

On the whole, the Australian States and New Zealand stand well in regard to infantile mortality, since, according to the returns of the Registrar-General of England, the two lowest proportions known in that country since the introduction of registration were 13·00 in 1881 and 13·50 in 1879, while the proportion has in several years been over 15·00, and in some even over 16·00. For the quinquennium ended with 1899 the mean annual proportion in England was 15·76.

### MARRIAGES.

The marriages registered in 1900 numbered 2,305, being more by 40 than those of the previous year, and being the highest number recorded in any year since 1891. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 6·37, against 6·45 in 1899. The marriages celebrated in the first quarter numbered 563, in the second 655, in the third 512, and in the fourth 575.

By means of the tabular statement which has been already referred to, and which will be found later on, the marriage rate of South Australia can be compared with the marriage rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Table 13, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names. The number of marriages celebrated during the year according to the ceremonies of each religious denomination and the number of civil marriages are shown in the following statement:—

Church of England .....	531	Registrar-General, Deputy Registrar, and District	
Wesleyan .....	350	Registrars .....	84
Roman Catholic .....	221	Officiating Registrars .....	35
Bible Christian .....	185	Christian Brethren .....	35
Primitive Methodist .....	177	Salvation Army .....	25
Lutheran .....	154	City Mission .....	12
Baptist .....	140	Jewish .....	3
Congregationalist .....	135	Moravian .....	2
Presbyterian .....	123	Seventh Day Adventist .....	2
Church of Christ .....	91		

A rise or fall in marriage rates, or in the value of exports or imports, is generally regarded as being in some degree indicative of a corresponding change in the prosperity of a country. The following table shows the variation year after year from 1881 to 1900 in such rates and values in South Australia:—

Year.	Marriage Rate per 1,000 of Mean Population.	Value per Head of Mean Population.		
		Imports Retained for Home Consumption.	Exports of South Australian Produce.	Imports and Exports United.
		£ s. d.	£ s. d.	£ s. d.
1881.....	8·31	16 1 3	13 2 5	29 3 8
1882.....	8·87	19 8 4	14 13 9	34 2 1
1883.....	8·64	16 14 5	11 17 4	28 11 9
1884.....	8·42	14 11 2	17 8 10	32 0 0
1885.....	7·93	13 15 11	14 4 2	28 0 1
1886.....	6·51	10 9 11	9 5 11	19 15 10
1887.....	6·48	10 4 0	10 19 5	21 3 5
1888.....	6·82	10 3 0	15 5 9	25 8 9
1889.....	6·69	10 10 4	11 19 10	22 10 2
1890.....	7·17	12 6 11	14 3 2	26 10 1
1891.....	7·31	13 0 11	14 16 0	27 16 11
1892.....	6·51	8 12 8	9 18 9	18 11 5
1893.....	6·27	8 4 5	9 15 11	18 0 4
1894.....	6·09	6 12 3	9 14 10	16 7 1
1895.....	5·97	5 13 5	10 6 1	15 19 6
1896.....	6·33	8 4 7	9 9 9	17 14 4
1897.....	5·66	7 15 11	7 4 5	15 0 4
1898.....	6·39	5 8 3	7 3 6	12 11 9
1899.....	6·45	6 19 0	11 10 4	18 9 4
1900.....	6·37	10 4 4	10 4 0	20 8 4

It is the opinion of statisticians that if through a series of years the number of marriages in each year be compared with the number of legitimate births in the following year a very fair estimate can be obtained of the average number of children born to each married couple. Although the figures of a long series of years are required to demonstrate the correctness of this opinion, it is generally only necessary to examine those of



a few years to obtain estimates that may be relied on. The following figures show the proportion of births to each marriage in South Australia for fifteen years, in each instance the births compared being for the year given and the marriages for the year before:—

1886.....	4.46	1895.....	4.87
1887.....	5.34	1896.....	4.72
1888.....	5.17	1897.....	4.72
1889.....	4.83	1898.....	4.42
1890.....	4.90	1899.....	4.08
1891.....	4.66	1900.....	3.87
1892.....	4.42		
1893.....	4.90	Mean .....	4.68
1894.....	4.81		

It would seem from these figures that 4.68 is the average number of children born in South Australia to each marriage. This is above the average in England and Scotland, and below that in Ireland. It will be seen, however, that during the last few years the proportion in South Australia has been showing a downward tendency.

According to the "Victorian Year Book," 1895-8, which is the latest issue of that work published, the average proportions in the other Australian States and New Zealand, were as follows:—

Tasmania .....	4.96	New South Wales .....	4.76
New Zealand .....	4.93	Western Australia .....	4.49
Queensland.....	4.81	Victoria .....	4.23

#### GENERAL RESULTS OF THE YEAR FOR THE STATE.

Viewed as a whole, 1900 was an unfavorable year with respect to births and increase of population; it was an indifferent one in regard to marriages, for though there was an advance in number there was no improvement in the marriage rate; but in reference to its death record, considering the diminution in number, in rate, in deaths from zymotic diseases, especially enteric fever, and in infantile mortality, it may be doubted whether South Australia has ever known a better year.

#### ADELAIDE AND SUBURBS.

As explained in the annual report for 1888, by "Adelaide and Suburbs" is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area (which is 262 square miles in extent) there are, in addition to the city of Adelaide, eight corporate towns and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1900, was 160,691 (77,227 males and 83,464 females). The estimated mean population for the year was 159,307 (76,611 males and 82,696 females). The births registered during the year numbered 4,093 (2,074 males and 2,019 females); being fewer by 72 than those recorded in 1899. The birth rate per 1,000 of the mean population was 25.69. It was lower by 0.15 than that of the whole State, and lower by 0.59 than the birth rate of the city of Adelaide taken by itself. The deaths registered in Adelaide and suburbs in 1900 numbered 2,033 (1,076 males and 957 females), being fewer by 233 than those recorded in the previous year. The death rate per 1,000 of the mean population was 12.76. It was higher by 2.11 than that of the whole State, but lower by 7.68 than the death rate of the city of Adelaide taken by itself—that is, the city death rate, including all death in public institutions.

The following table shows the rates of infantile mortality in Adelaide and suburbs in the years specified—that is, the proportion of deaths of children under 1 year of age to 100 births registered:—

1886 .....	15.75	1894 .....	10.60
1887 .....	13.68	1895 .....	12.16
1888 .....	11.58	1896 .....	12.19
1889 .....	11.58	1897 .....	13.35
1890 .....	11.95	1898 .....	16.81
1891 .....	11.88	1899 .....	11.79
1892 .....	11.79	1900 .....	11.85
1893 .....	12.59		

It will be seen that in every one of these years the rate was higher than the corresponding rate for the whole State shown in a previous table.

For comparison, the birth and death rates (inclusive, at least as far as the first seven towns are concerned, of all births and deaths in public institutions) per 1,000 of the mean population of the Australasian capital cities and suburbs and of several of the largest towns in Great Britain are here given. The figures for the British towns have been taken from the returns of the Registrar-General of England, while those for the Australasian capitals have for the most part been extracted from special returns, which, on application, were supplied to this office by the statistical authorities of the different Australian States and New Zealand:—

	Births, 1900.	Deaths, 1900.		Births, 1900.	Deaths, 1900.
Adelaide .....	25.69	12.76	Greater London .....	28.3	17.3
Melbourne .....	24.62	14.33	Manchester .....	32.3	24.1
Sydney (1899) .....	28.29	12.74	Liverpool .....	36.0	25.7
Brisbane (1899) .....	29.72	12.00	Birmingham .....	32.7	21.5
Perth .....	35.02	14.72	Leeds .....	30.4	20.0
Hobart .....	24.05	14.34	Edinburgh .....	26.9	19.4
Wellington .....	25.33	8.91	Glasgow .....	32.7	22.0

There were 1,195 marriages celebrated in Adelaide and suburbs in 1900. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 7.50, which was greater by 1.13 than the marriage rate for the whole State.

#### CITY OF ADELAIDE.

The estimated population of the city on December 31st, 1900, was 38,953 (18,304 males and 20,649 females), being an increase of 114 for the whole year. The births registered in 1900 numbered 1,022, being fewer by 71 than those of the previous year; and the deaths 795, being fewer by 149 than those of the previous year. In several of the numbered tables accompanying this report (particularly tables 21, 22, and 23) will be found statistics referring specially to the city.

The

The statistical authorities of the different Australian States and New Zealand do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included, in the calculation of the birth and death rates of cities or other large towns. Nor, in reference to this matter, are they agreed as to what institutions should be comprehended under the description "public," some giving a much wider meaning to the term "public institutions" than others do. The only comparison, therefore, that can be conveniently made between the birth and death rates of the city of Adelaide and those of other large Australasian towns is one between the rates inclusive of all births and deaths in public institutions. The following figures show the rates per 1,000 of mean population in the towns named, exclusive of suburbs. They are in all cases the rates inclusive of all births and deaths in public institutions :—

	Births, 1900.	Deaths, 1900.		Births, 1900.	Deaths, 1900.
Adelaide .....	26·28	20·44	Brisbane (1899) .....	29·12	14·33
Melbourne .....	31·58	29·87	Hobart .....	25·17	12·89
Bendigo .....	33·56	22·08	Launceston .....	29·53	15·41
Ballarat .....	30·04	20·22	Wellington .....	25·76	9·17
Geelong .....	25·35	16·30	Dunedin .....	22·07	12·25
Sydney (1899) .....	29·42	17·69	Auckland .....	29·31	13·69

The marriages celebrated in the city of Adelaide in 1900 numbered 548. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 14·09. It is probable, however, that not half of the persons married in the city had their usual residence therein.

From many points of view it is no doubt an advantage to the city of Adelaide that it is the only great medical centre in South Australia—the only place, in fact, where sick people and invalids of every class can easily obtain all the special medical aid and nursing attendance and other conveniences which they need or think they need. Its attraction, however, in this respect has necessarily one very undesirable effect—it leads to its mortality record being very much higher than it otherwise would be. In 1900, for instance, the *gross* death rate of Adelaide reached 20·44 per 1,000 of the mean population. If, however, as shown in table 23 accompanying this report, the deaths in the Adelaide Hospital and two other public institutions of persons not usually resident in the city be excluded, the rate falls considerably—it comes down to 15·73. Further, if, *as far as they can be ascertained* from the registration entries, the deaths in private hospitals and the Children's Hospital of persons whose usual homes were not in Adelaide be also eliminated, the rate comes down to 14·19. As persons registering deaths are not obliged to name the buildings in which they have occurred, it is of course not possible to find out by an inspection of the entries all the deaths in the city that have happened in private hospitals, lying-in homes, and similar places. But even if this were possible it would further be necessary, before a correct view of the city mortality could be obtained, to know how many deaths occurred in private residences and ordinary lodging-houses of persons who came or were brought into Adelaide for the very reason that they were seriously ill or ailing in some way. That its attraction as a medical centre is the chief reason—if it is not, indeed, the only one—why the city of Adelaide, compared with the remainder of South Australia, has so high a death record will, perhaps, be more apparent and more readily admitted if it be remembered that it is not possible to name with certainty or even suggest any other sufficient cause or causes that would not be equally operative in the eight suburban municipalities taken collectively; and yet in 1900 the combined gross death rate of these towns was only 10·75.

#### CORPORATE TOWNS.

In table No. 25 accompanying this report will be found the usual statistics with respect to the populations, births, and deaths of twenty-three corporate towns, including the city of Adelaide. The birth and death rates per 1,000 of mean population in the towns referred to in the table, taken in groups, were as follows :—

	Births, 1900.	Deaths, 1900.
Municipality of Adelaide .....	26·28	20·44
Eight suburban corporate towns .....	27·02	10·75
Fourteen outside corporate towns .....	37·36	15·83
The twenty-three towns collectively .....	28·89	14·06

#### NORTHERN TERRITORY.

The following table shows the estimated population of the Northern Territory (exclusive of aborigines) in the year 1900 :—

	Males.	Females.	Persons.
Estimated population, January 1st, 1900 .....	4,216	497	4,713
Births during the year .....	19	15	34
Immigration during the year .....	306	60	366
	4,541	572	5,113
Deaths during the year .....	60	3	63
	4,481	569	5,050
Emigration during the year .....	323	69	392
Estimated population, December 31st, 1900 .....	4,158	500	4,658
Estimated mean population of the year .....	4,191	499	4,690

It is not possible at present, nor will it be until the final census returns are issued, to state how many of the inhabitants of the Territory are of European race and how many of them are of other races.

The births registered in 1900 numbered 34 (19 males and 15 females), and the deaths 63 (60 males and 3 females). Of these the European births were 21 (11 males and 10 females), and the European deaths 19 (17 males and 2 females). There were 8 marriages. The birth rate per 1,000 of the mean population was 7·25, the death rate 13·43, and the marriage rate 1·71. The



The following table shows the causes of deaths in the Territory, arranged as nearly as possible in the usual nosological order of sequence, and the number and ages of the deceased :—

Causes of Death.	All Ages.			Under 1 Year.	1—5.	5—10.	10—20.	20—40.	40—60.	60—80.	80 and Up- wards.	Not Stated.
	Total.	M.	F.									
	63	60	3	5	2	—	—	23	27	6	—	—
Diarrhœa, dysentery.....	3	3	—	—	—	—	—	1	2	—	—	—
Beri-beri.....	2	2	—	—	—	—	—	—	2	—	—	—
Fevers, malarial diseases .....	5	5	—	—	—	—	—	4	1	—	—	—
Starvation .....	1	1	—	—	—	—	—	1	—	—	—	—
Alcoholism .....	3	3	—	—	—	—	—	1	2	—	—	—
Cancer .....	1	1	—	—	—	—	—	—	—	1	—	—
Phthisis .....	2	2	—	—	—	—	—	—	2	—	—	—
Meningitis .....	1	—	1	—	1	—	—	—	—	—	—	—
Softening of brain.....	1	1	—	—	—	—	—	—	—	1	—	—
Apoplexy .....	1	1	—	—	—	—	—	1	—	—	—	—
Paralysis .....	1	1	—	—	—	—	—	1	—	—	—	—
Convulsions .....	3	2	1	2	1	—	—	—	—	—	—	—
Heart diseases .....	3	3	—	—	—	—	—	2	1	—	—	—
Bronchitis .....	2	2	—	—	—	—	—	—	2	—	—	—
Pneumonia .....	2	2	—	2	—	—	—	—	—	—	—	—
Other lung disease .....	1	—	1	—	—	—	—	1	—	—	—	—
Enteritis .....	2	2	—	—	—	—	—	2	—	—	—	—
Tumor of abdomen .....	1	1	—	—	—	—	—	—	1	—	—	—
Uræmia .....	1	1	—	—	—	—	—	—	1	—	—	—
Accidental fracture and contusion ....	3	3	—	—	—	—	—	1	2	—	—	—
Accidental drowning .....	2	2	—	—	—	—	—	1	1	—	—	—
Opium smoking .....	3	3	—	—	—	—	—	—	3	—	—	—
Murder, manslaughter .....	2	2	—	—	—	—	—	1	—	1	—	—
Poisoning (suicidal) .....	1	1	—	—	—	—	—	—	1	—	—	—
Hanging (suicidal) .....	1	1	—	—	—	—	—	—	1	—	—	—
Undefined or ill-defined .....	15	15	—	1	—	—	—	6	5	3	—	—

AREA OF SOUTH AUSTRALIA.

	Acres.	Square Miles.
South Australia proper .....	243,244,800	380,070
Northern Territory .....	335,116,800	523,620
Total .....	<u>578,361,600</u>	<u>903,690</u>

COMPARATIVE STATISTICS.

The following tabular statement shows the rates of births, deaths, and marriages per 1,000 of mean population in the Australian States, New Zealand, the different parts of the United Kingdom, and several other countries. The figures in the first seven lines have been taken from the returns of the statistical authorities of the different places named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have either been extracted unaltered or been deduced by calculation from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries :—

		Births.	Deaths.	Marriages.
South Australia .....	1900	25·84	10·65	6·37
Victoria .....	1900	25·83	12·77	6·97
New South Wales .....	1899	27·10	11·82	6·89
Queensland .....	1900	30·19	11·72	6·88
Western Australia .....	1900	30·73	12·62	10·03
Tasmania .....	1900	28·15	11·01	7·71
New Zealand .....	1900	25·60	9·43	7·67
United Kingdom (as a whole) .....	1899	28·7	18·3	7·85
England and Wales.....	1899	29·3	18·3	8·25
Ireland .....	1899	22·9	17·6	4·90
Scotland .....	1899	30·5	18·6	7·70
France .....	1899	21·9	21·1	7·65
The German Empire .....	1899	35·9	21·5	8·55
Prussia separately .....	1899	36·4	21·4	8·55
Austria .....	1899	37·1	25·4	8·25
Italy .....	1899	34·3	22·1	7·42
Switzerland .....	1899	28·9	17·6	7·80
Belgium .....	1899	29·0	18·9	8·31
The Netherlands .....	1899	32·0	17·1	7·45
Norway .....	1899	30·9	16·8	7·15
Hungary .....	1899	39·0	27·0	8·95
Sweden .....	1899	26·2	17·6	6·25

The rates of other European countries (Denmark, Spain, &c.) have not been given in this table, because in the returns accessible they are not calculated on mean populations, and no data are given by means of which this defect could be remedied. The deaths of French persons abroad, civil and military, are registered in



in France, and this may have the effect of causing the death rate there to be somewhat overstated. It will be seen that in the comparative statement as it stands South Australia shows the fifth lowest birth rate, the third lowest marriage rate, and the second lowest death rate. If, however, the Australian States and New Zealand alone are considered, South Australia shows the third lowest birth rate, the lowest marriage rate, and the second lowest death rate.

Complete estimates of the populations of the Australian States and New Zealand at the end of 1900, revised so as to be in accordance with the results of the recent census, are not yet available. The following table shows—subject, of course, to revision—the enumerated populations on the last day of last March, as stated in the preliminary census returns:—

	Males.		Females.		Total.
New South Wales .....	715,207	....	647,025	....	1,362,232
Victoria .....	604,088	....	595,604	....	1,199,692
Queensland .....	230,504	....	222,388	....	502,892
South Australia proper .....	180,285	....	177,293	....	357,578
“ Northern Territory .....	4,129	....	495	....	4,624
Western Australia .....	112,094	....	70,459	....	182,553
Tasmania .....	89,624	....	82,851	....	172,475
	1,985,931	....	1,796,115	....	3,782,046
New Zealand .....	406,161	....	366,294	....	772,455
	2,392,092	....	2,162,409	....	4,554,501

I have, &c.,  
G. H. AYLIFFE, Registrar-General of Births, &c.

The Hon. the Chief Secretary.

THE WEATHER AND THE MORTALITY IN THE CITY OF ADELAIDE.

Table showing Readings of the Meteorological Instruments at the Adelaide Observatory and the Registered Mortality within the Municipal Boundaries of the City of Adelaide, in each Month of the Year 1900.

Month.	Thermometer — Fahr. (in shade).			Barometer.			Rain.		Deaths from all Causes.										
	Maximum.	Minimum.	Mean.	Maximum.	Minimum.	Mean.	Total Fall.	No. of Days Rain Fell.	Ages.					Including Deaths from					
									All Ages.	Under 1 Year.	1—5.	5—60.	60—80.	80 and Upwards.	Diphtheria.	Enteric Fever.	Diarrhoea and Dysentery.	All Tubercular Diseases.	Diseases of Res- piratory System.
January ...	112·2	51·8	75·3	30·170	29·380	29·840	·669	6	92	17	6	41	24	4	4	1	3	8	6
February ..	107·4	53·1	74·8	30·152	29·443	29·890	·055	1	66	11	4	35	14	2	2	2	2	10	5
March .....	103·2	47·9	67·2	30·300	29·467	29·908	2·758	9	77	19	3	37	17	1	—	2	4	9	7
April.....	75·8	43·9	60·3	30·240	29·650	29·921	3·703	18	52	11	3	26	9	3	—	1	2	8	4
May .....	79·4	41·1	56·2	30·401	29·718	30·109	2·415	14	59	10	—	27	15	7	—	4	—	8	6
June .....	66·0	37·6	52·9	30·330	29·100	29·862	3·614	21	56	5	5	28	14	4	—	—	—	10	2
July .....	66·1	35·4	50·6	30·468	29·136	29·968	1·550	14	59	9	—	31	16	3	—	—	—	11	6
August ...	67·9	39·8	52·2	30·080	29·220	29·748	4·135	21	63	7	3	35	13	5	2	—	—	7	8
September .	76·7	37·9	54·8	30·304	29·540	30·000	1·175	14	70	4	2	34	26	4	—	2	—	8	4
October ....	91·5	40·8	63·0	30·257	29·325	29·891	·645	7	71	7	4	35	19	6	3	—	1	11	7
November .	105·6	47·8	68·8	30·169	29·505	29·879	·566	4	63	15	4	24	18	2	—	—	3	6	8
December..	105·4	60·4	72·5	30·093	29·847	29·847	·393	4	67	20	4	23	18	2	1	1	6	3	3
Totals ...	...	...	...	...	...	...	21·678	133	795	135	38	376	203	43	12	13	21	99	66

NOTE.—This table is intended to afford the means of comparing the weather and its changes with the general mortality, the mortality among young children and old people, and the mortality from certain diseases, the malignancy of which depends, it is believed, very much on the state of the weather.

G. H. AYLIFFE, Registrar-General of Births, &c.



APPENDICES.

BIRTHS, MARRIAGES, AND DEATHS.

No. 1.—RETURN showing the Number of Births, Marriages, and Deaths which were registered in South Australia (exclusive of the Northern Territory) in the Year 1900, and the Proportion of Births, Marriages, and Deaths to every thousand persons living.

Districts.	Total Number of—			Proportion to every Thousand of the Mean Population of—			
	Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.	
Metropolitan {	City of Adelaide .....	1,022	548	795	26·28	14·09	20·44
	Suburbs “ .....	3,071	647	1,238	25·50	5·37	10·28
Total Metropolitan .....		4,093	1,195	2,033	25·69	7·50	12·76
Extra-Metropolitan .....		5,050	1,110	1,741	25·95	5·70	8·95
Total South Australia.....		9,143	2,305	3,774	25·84	6·37	10·65

No. 2.—DECENNIAL RETURN showing the proportion of Births, Marriages and Deaths in South Australia (exclusive of the Northern Territory) to the estimated Mean Population.

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1891 .....	33·92	7·31	13·30
1892 .....	32·41	6·51	11·41
1893 .....	31·76	6·27	13·44
1894 .....	30·49	6·09	11·64
1895 .....	30·70	5·97	11·42
1896 .....	29·05	6·33	11·72
1897 .....	27·71	5·66	11·55
1898 .....	25·81	6·39	13·49
1899 .....	26·75	6·45	12·54
1900 .....	25·84	6·37	10·65



BIRTHS AND DEATHS.

No. 3.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Quarter of the Year 1900, and the Excess of Births over Deaths.

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births .....	9,143	4,641	4,502	2,287	1,132	1,155	2,463	1,239	1,224	2,209	1,119	1,090	2,184	1,151	1,033
Deaths.....	3,774	1,994	1,780	1,008	531	477	870	464	406	921	484	437	975	515	460
Excess of Births over Deaths..	5,369	2,647	2,722	1,279	601	678	1,593	775	818	1,288	635	653	1,209	636	573

No. 4.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Year 1900.

Month.	Births.			Deaths.		
	Total.	Males.	Females.	Total.	Males.	Females.
January .....	739	370	369	402	215	187
February .....	704	355	349	281	148	133
March.....	844	407	437	325	168	157
April .....	758	381	377	289	167	122
May .....	843	420	423	310	153	157
June ...	862	438	424	271	144	127
July .....	753	378	375	291	158	133
August .....	723	365	358	331	168	163
September .....	733	376	357	299	158	141
October .....	725	375	350	304	159	145
November .....	751	404	347	327	185	142
December .....	708	372	336	344	171	173
Total .....	9,143	4,641	4,502	3,774	1,994	1,780

**No. 5.—COMPARATIVE RETURN** showing the number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Years 1899 and 1900.

MONTHS.	BIRTHS.						CLASS.	Causes of Death.	DEATHS.					
	1899.			1900.					1899.			1900.		
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.
January ...	375	391	766	370	369	739		All causes .....	247	190	437	215	187	402
							I.	Zymotic diseases .....	48	45	93	29	32	61
							II.	Parasitic diseases .....	—	1	1	2	—	2
							III.	Dietic diseases .....	—	—	—	—	—	—
							IV.	Constitutional diseases .....	41	24	65	39	32	71
							V.	Developmental diseases .....	19	21	40	18	16	34
							VI.	Local diseases .....	103	77	180	78	73	151
							VII.	Violence .....	21	7	28	33	19	52
							VIII.	Ill-defined or not specified causes ..	15	15	30	16	15	31
February...	372	318	690	355	349	704		All causes .....	186	165	351	148	133	281
							I.	Zymotic diseases .....	31	33	64	18	25	43
							II.	Parasitic diseases .....	—	—	—	—	—	—
							III.	Dietic diseases .....	1	1	2	—	—	—
							IV.	Constitutional diseases .....	29	27	56	27	25	52
							V.	Developmental diseases .....	19	22	41	11	12	23
							VI.	Local diseases .....	78	58	136	66	52	118
							VII.	Violence .....	18	13	31	17	9	26
							VIII.	Ill-defined or not specified causes ..	10	11	21	9	10	19
March .....	382	388	770	407	437	844		All causes .....	177	150	327	168	157	325
							I.	Zymotic diseases .....	26	38	64	22	23	45
							II.	Parasitic diseases .....	1	—	1	—	1	1
							III.	Dietic diseases .....	2	—	2	1	—	1
							IV.	Constitutional diseases .....	27	30	57	28	28	56
							V.	Developmental diseases .....	16	12	28	17	18	35
							VI.	Local diseases .....	77	52	129	74	74	148
							VII.	Violence .....	18	6	24	13	5	18
							VIII.	Ill-defined or not specified causes ..	10	12	22	13	8	21
April.....	390	376	766	381	377	758		All causes .....	200	169	369	167	122	289
							I.	Zymotic diseases .....	32	28	60	21	13	34
							II.	Parasitic diseases .....	—	—	—	—	1	1
							III.	Dietic diseases .....	2	1	3	2	—	2
							IV.	Constitutional diseases .....	28	22	50	26	24	50
							V.	Developmental diseases .....	22	20	42	23	16	39
							VI.	Local diseases .....	86	83	169	76	55	131
							VII.	Violence .....	15	4	19	11	6	17
							VIII.	Ill-defined or not specified causes ..	15	11	26	8	7	15
May .....	469	450	919	420	423	843		All causes .....	213	179	392	153	157	310
							I.	Zymotic diseases .....	38	44	82	21	18	39
							II.	Parasitic diseases .....	3	—	3	—	—	—
							III.	Dietic diseases .....	3	1	4	1	1	2
							IV.	Constitutional diseases .....	36	24	60	28	28	56
							V.	Developmental diseases .....	27	14	41	16	14	30
							VI.	Local diseases .....	87	77	164	65	73	138
							VII.	Violence .....	9	6	15	12	4	16
							VIII.	Ill-defined or not specified causes ..	10	13	23	10	19	29
June .....	457	400	857	438	424	862		All causes .....	223	153	376	144	127	271
							I.	Zymotic diseases .....	22	28	50	9	9	18
							II.	Parasitic diseases .....	—	—	—	1	1	2
							III.	Dietic diseases .....	2	—	2	—	—	—
							IV.	Constitutional diseases .....	30	28	58	20	34	54
							V.	Developmental diseases .....	19	18	37	17	17	34
							VI.	Local diseases .....	87	60	147	81	63	144
							VII.	Violence .....	45	11	56	8	1	9
							VIII.	Ill-defined or not specified causes ..	18	8	26	8	2	10
July .....	434	380	814	378	375	753		All causes .....	149	141	290	158	133	291
							I.	Zymotic diseases .....	14	9	23	5	9	14
							II.	Parasitic diseases .....	—	1	1	1	—	1
							III.	Dietic diseases .....	—	—	—	3	2	5
							IV.	Constitutional diseases .....	28	32	60	29	24	53
							V.	Developmental diseases .....	20	19	39	15	19	34
							VI.	Local diseases .....	66	70	136	86	72	158
							VII.	Violence .....	12	3	15	12	2	14
							VIII.	Ill-defined or not specified causes ..	9	7	16	7	5	12
August.....	440	430	870	365	358	723		All causes .....	152	156	308	168	163	331
							I.	Zymotic diseases .....	8	14	22	8	10	18
							II.	Parasitic diseases .....	1	—	1	—	1	1
							III.	Dietic diseases .....	—	—	—	1	1	2
							IV.	Constitutional diseases .....	17	33	50	27	31	58
							V.	Developmental diseases .....	25	17	42	21	23	44
							VI.	Local diseases .....	77	78	155	88	87	175
							VII.	Violence .....	16	8	24	12	4	16
							VIII.	Ill-defined or not specified causes ..	8	6	14	11	6	17
September	407	401	808	376	357	733		All causes .....	157	143	300	158	141	299
							I.	Zymotic diseases .....	17	13	30	15	6	21
							II.	Parasitic diseases .....	—	1	1	—	—	—
							III.	Dietic diseases .....	3	—	3	—	—	—
							IV.	Constitutional diseases .....	26	28	54	24	29	53
							V.	Developmental diseases .....	13	21	34	14	17	31
							VI.	Local diseases .....	73	69	142	83	79	162
							VII.	Violence .....	10	8	18	18	5	23
							VIII.	Ill-defined or not specified causes ..	15	3	18	4	5	9
October ...	382	337	719	375	350	725		All causes .....	248	221	469	159	145	304
							I.	Zymotic diseases .....	71	69	140	12	12	24
							II.	Parasitic diseases .....	—	—	—	1	1	2
							III.	Dietic diseases .....	2	—	2	1	—	1
							IV.	Constitutional diseases .....	27	29	56	28	30	58
							V.	Developmental diseases .....	26	28	54	19	17	36
							VI.	Local diseases .....	110	85	195	84	78	162
							VII.	Violence .....	8	6	14	7	1	8
							VIII.	Ill-defined or not specified causes ..	4	4	8	7	6	13
November .	376	359	735	404	347	751		All causes .....	222	210	432	185	142	327
							I.	Zymotic diseases .....	49	52	101	20	24	44
							II.	Parasitic diseases .....	1	2	3	—	2	2
							III.	Dietic diseases .....	2	—	2	1	1	2
							IV.	Constitutional diseases .....	31	28	59	38	15	53
							V.	Developmental diseases .....	26	21	47	19	12	31
							VI.	Local diseases .....	92	91	183	82	74	156
							VII.	Violence .....	15	8	23	18	6	24
							VIII.	Ill defined or not specified causes ..	6	8	14	7	8	15
December .	357	326	683	372	336	708		All causes .....	188	167	355	171	173	344
							I.	Zymotic diseases .....	23	25	48	30	32	62
							II.	Parasitic diseases .....	—	1	1	1	1	2
							III.	Dietic diseases .....	3	—	3	2	1	3
							IV.	Constitutional diseases .....	28	30	58	20	28	48
							V.	Developmental diseases .....	17	20	37	22	20	42
							VI.	Local diseases .....	87	75	162	75	78	153
							VII.	Violence .....	13	8	21	10	1	17
							VIII.	Ill-defined or not specified causes ..	17	8	25	5	12	17

**No. 6.—COMPARATIVE RETURN** showing the number of Births and Deaths (including all those in Public Institutions) Registered in the City of Adelaide in each Month of the Years 1899 and 1900.

MONTH.	BIRTHS.						CLASS.	DEATHS.								
	1899.			1900.				Cause of Death.	1899.			1900.				
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.		
January ...	45	46	91	52	39	91		All causes .....	53	39	92	46	46	92		
							I.	Zymotic diseases .....	7	9	16	1	8	9		
							II.	Parasitic diseases .....	—	—	—	—	—	—		
							III.	Dietic diseases .....	—	—	—	—	—	—		
							IV.	Constitutional diseases .....	11	6	17	9	8	17		
							V.	Developmental diseases .....	5	5	10	4	4	8		
							VI.	Local diseases .....	27	16	43	18	17	35		
							VII.	Violence .....	1	1	2	12	5	17		
							VIII.	Ill-defined or not specified causes ...	2	2	4	2	4	6		
February...	40	36	76	39	36	75		All causes .....	33	30	63	37	29	66		
							I.	Zymotic diseases .....	3	8	11	3	6	9		
							II.	Parasitic diseases .....	—	—	—	—	—	—		
							III.	Dietic diseases .....	—	—	—	—	—	—		
							IV.	Constitutional diseases .....	9	3	12	11	8	19		
							V.	Developmental diseases .....	4	5	9	3	—	3		
							VI.	Local diseases .....	14	12	26	14	8	22		
							VII.	Violence .....	3	—	3	5	4	9		
							VIII.	Ill-defined or not specified causes ...	—	2	2	1	3	4		
March .....	47	60	107	42	56	98		All causes .....	34	39	73	47	30	77		
							I.	Zymotic diseases .....	5	9	14	5	4	9		
							II.	Parasitic diseases .....	—	—	—	—	1	1		
							III.	Dietic diseases .....	—	—	—	—	—	—		
							IV.	Constitutional diseases .....	5	10	15	8	6	14		
							V.	Developmental diseases .....	6	2	8	6	2	8		
							VI.	Local diseases .....	17	15	32	23	15	38		
							VII.	Violence .....	1	—	1	1	1	2		
							VIII.	Ill-defined or not specified causes ...	—	3	3	4	1	5		
April .....	47	37	84	48	57	105		All causes .....	39	25	64	30	22	52		
							I.	Zymotic diseases .....	7	4	11	3	1	4		
							II.	Parasitic diseases .....	—	—	—	—	—	—		
							III.	Dietic diseases .....	1	—	1	—	—	—		
							IV.	Constitutional diseases .....	7	4	11	7	3	10		
							V.	Developmental diseases .....	3	2	5	3	1	4		
							VI.	Local diseases .....	16	13	29	12	14	26		
							VII.	Violence .....	3	1	4	3	1	4		
							VIII.	Ill-defined or not specified causes ...	2	1	3	2	2	4		
May .....	54	44	98	38	46	84		All causes .....	45	33	78	34	25	59		
							I.	Zymotic diseases .....	10	8	18	5	—	5		
							II.	Parasitic diseases .....	1	—	1	—	—	—		
							III.	Dietic diseases .....	1	—	1	—	1	1		
							IV.	Constitutional diseases .....	13	6	19	9	4	13		
							V.	Developmental diseases .....	5	1	6	2	2	4		
							VI.	Local diseases .....	12	13	25	14	15	29		
							VII.	Violence .....	1	1	2	2	—	2		
							VIII.	Ill-defined or not specified causes ...	2	4	6	2	3	5		
June .....	58	48	106	42	43	85		All causes .....	41	32	73	35	21	56		
							I.	Zymotic diseases .....	2	3	5	3	—	3		
							II.	Parasitic diseases .....	—	—	—	1	1	2		
							III.	Dietic diseases .....	—	—	—	—	—	—		
							IV.	Constitutional diseases .....	10	9	19	6	5	11		
							V.	Developmental diseases .....	5	4	9	4	2	6		
							VI.	Local diseases .....	17	13	30	18	11	29		
							VII.	Violence .....	1	1	2	2	—	2		
							VIII.	Ill-defined or not specified causes ...	6	2	8	1	2	3		
July .....	61	49	110	38	37	75		All causes .....	40	33	73	42	17	59		
							I.	Zymotic diseases .....	4	1	5	—	—	—		
							II.	Parasitic diseases .....	—	—	—	—	—	—		
							III.	Dietic diseases .....	—	—	—	—	1	1		
							IV.	Constitutional diseases .....	13	9	22	14	3	17		
							V.	Developmental diseases .....	5	4	9	4	6	10		
							VI.	Local diseases .....	16	15	31	21	6	27		
							VII.	Violence .....	1	1	2	1	—	1		
							VIII.	Ill-defined or not specified causes ...	1	3	4	2	1	3		
August .....	49	42	91	35	52	87		All causes .....	32	33	65	34	29	63		
							I.	Zymotic diseases .....	1	4	5	5	4	9		
							II.	Parasitic diseases .....	1	—	1	—	—	—		
							III.	Dietic diseases .....	—	—	—	—	—	—		
							IV.	Constitutional diseases .....	5	9	14	5	4	9		
							V.	Developmental diseases .....	3	3	6	2	3	5		
							VI.	Local diseases .....	17	13	30	19	15	34		
							VII.	Violence .....	2	4	6	3	2	5		
							VIII.	Ill-defined or not specified causes ...	3	—	3	—	1	1		
September .	42	43	85	33	45	78		All causes .....	48	24	72	38	32	70		
							I.	Zymotic diseases .....	5	1	6	4	1	5		
							II.	Parasitic diseases .....	—	—	—	—	—	—		
							III.	Dietic diseases .....	1	—	1	—	—	—		
							IV.	Constitutional diseases .....	12	6	18	9	8	17		
							V.	Developmental diseases .....	2	2	4	—	3	3		
							VI.	Local diseases .....	23	13	36	21	18	39		
							VII.	Violence .....	1	2	3	4	2	6		
							VIII.	Ill-defined or not specified causes ...	4	—	4	—	—	—		
October ...	40	38	78	57	40	97		All causes .....	68	69	137	39	32	71		
							I.	Zymotic diseases .....	19	21	40	2	4	6		
							II.	Parasitic diseases .....	—	—	—	—	1	1		
							III.	Dietic diseases .....	—	—	—	—	—	—		
							IV.	Constitutional diseases .....	6	8	14	8	10	18		
							V.	Developmental diseases .....	6	11	17	5	2	7		
							VI.	Local diseases .....	33	26	59	22	13	35		
							VII.	Violence .....	2	2	4	1	1	2		
							VIII.	Ill-defined or not specified causes ...	2	1	3	1	1	2		
November .	46	46	92	46	41	87		All causes .....	36	34	70	37	26	63		
							I.	Zymotic diseases .....	4	4	8	1	3	4		
							II.	Parasitic diseases .....	—	2	2	—	1	1		
							III.	Dietic diseases .....	—	—	—	1	—	1		
							IV.	Constitutional diseases .....	11	6	17	7	4	11		
							V.	Developmental diseases .....	2	3	5	3	2	5		
							VI.	Local diseases .....	16	15	31	20	13	33		
							VII.	Violence .....	3	1	4	4	—	4		
							VIII.	Ill-defined or not specified causes ...	—	3	3	1	3	4		
December...	43	32	75	34	26	60		All causes .....	41	43	84	37	30	67		
							I.	Zymotic diseases .....	3	6	9	4	7	11		
							II.	Parasitic diseases .....	—	—	—	1	1	2		
							III.	Dietic diseases .....	1	—	1	1	—	1		
							IV.	Constitutional diseases .....	6	11	17	5	6	11		
							V.	Developmental diseases .....	3	7	10	7	2	9		
							VI.	Local diseases .....	23	16	39	17	9	26		
							VII.	Violence .....	1	1	2	2	—	2		
							VIII.	Ill-defined or not specified causes ...	4	2	6	—	5	5		



No. 7.—RETURN showing the number of Births and Deaths Registered in each Registration District (except the District of Palmerston, Northern Territory) in the Years 1896 to 1900, inclusive.

District.	Births.												Deaths.																	
	1896.			1897.			1898.			1899.			1900.			1896.			1897.			1898.			1899.			1900.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
Adelaide .....	1,071	1,071	2,142	1,126	1,064	2,190	996	991	1,987	1,115	1,023	2,138	1,023	1,053	2,076	672	610	1,282	735	578	1,313	843	694	1,537	732	645	1,377	657	532	1,189
Willunga .....	22	24	46	22	21	43	29	21	50	25	19	44	18	28	46	9	13	22	9	9	18	17	7	24	22	10	32	7	7	14
Yankalilla .....	36	22	58	34	28	62	33	29	62	32	30	62	29	26	55	12	8	20	8	12	20	10	6	16	45	14	59	6	6	12
Encounter Bay .....	36	42	78	43	37	80	40	48	88	37	37	74	37	40	77	13	14	27	18	13	31	24	18	42	13	23	36	11	22	33
Strathalbyn .....	51	53	104	69	59	128	52	44	96	51	50	101	57	50	107	21	20	41	16	25	41	18	15	33	26	20	46	20	24	44
Robe .....	48	34	82	31	35	66	36	32	68	36	47	83	43	21	64	28	14	42	14	11	25	28	9	37	24	13	37	11	9	20
Grey .....	174	153	327	107	100	207	153	101	314	103	152	315	175	171	346	59	57	116	51	49	100	75	73	148	83	61	144	50	70	120
Wellington .....	82	86	168	80	73	153	75	77	152	91	75	166	61	69	130	16	17	33	14	11	25	24	22	46	22	16	38	23	19	42
Morphett Vale .....	58	64	122	46	42	88	42	42	84	43	40	83	33	36	69	12	24	36	17	8	25	9	8	17	16	16	32	11	10	21
Mount Barker .....	57	51	108	44	48	92	49	50	99	48	44	92	38	43	81	27	17	44	20	23	43	24	15	39	20	24	44	20	24	44
Nairne .....	100	83	183	88	91	179	93	99	192	87	75	162	112	103	215	16	28	44	36	31	67	44	47	91	27	35	62	27	27	54
Talunga .....	118	103	221	101	106	207	86	91	177	115	92	207	102	96	198	34	31	65	38	26	64	26	28	54	38	32	70	39	26	65
Highercombe .....	27	28	55	18	25	43	30	21	51	25	28	53	33	29	62	8	5	13	8	6	14	6	13	19	10	10	20	5	5	10
Port Gawler .....	69	58	127	70	58	128	63	45	108	74	54	128	60	52	112	28	25	53	28	20	48	24	23	47	21	21	42	14	15	29
Crawford .....	29	35	64	44	41	85	33	28	61	33	38	71	31	33	64	9	8	17	7	7	14	14	11	25	10	5	15	9	9	18
Barossa .....	102	117	219	114	105	219	87	109	196	102	122	224	102	94	196	48	46	94	47	45	92	47	36	83	54	47	101	36	36	72
Angaston .....	83	78	161	74	105	179	75	83	158	73	84	157	66	79	145	37	38	75	38	27	65	32	30	62	40	33	73	27	27	54
Kapunda .....	166	152	318	148	139	287	157	121	278	150	124	274	158	151	309	66	76	142	47	40	87	78	42	120	77	50	127	41	45	86
Gilbert .....	136	129	265	142	129	271	108	116	224	123	104	227	129	108	237	41	31	72	41	34	75	47	45	92	48	38	86	32	28	60
Burra .....	168	155	323	150	134	284	127	109	236	149	137	277	116	129	245	67	41	108	65	35	100	67	25	92	59	39	98	47	34	81
Clare .....	343	359	702	331	339	670	341	280	621	356	357	713	360	321	681	129	111	240	154	117	271	182	133	315	172	134	306	164	112	276
Flinders .....	76	81	157	90	73	163	72	71	143	101	78	179	74	80	154	20	12	32	18	16	34	23	11	34	19	15	34	27	17	44
Frome .....	439	459	898	416	371	787	397	371	768	376	370	746	324	319	643	148	125	273	167	107	274	203	127	330	142	108	250	123	101	224
Daly .....	414	412	826	405	358	763	361	379	740	392	357	749	389	378	767	151	134	285	142	112	254	183	163	346	201	165	366	163	143	306
Upper Wakefield .....	36	23	59	29	30	59	29	23	52	22	23	45	20	27	47	11	10	21	10	10	20	11	10	21	11	17	28	5	7	12
Port Adelaide .....	414	388	802	308	345	653	351	320	671	367	330	697	377	340	717	158	124	282	165	120	285	190	162	352	147	153	300	150	154	304
Hindmarsh .....	240	232	472	240	223	463	228	212	440	248	237	485	256	226	482	84	77	161	80	96	176	95	95	190	93	99	192	91	78	169
Norwood .....	490	435	925	451	415	866	425	404	829	416	429	845	418	400	818	197	201	398	199	193	392	240	223	463	190	201	391	178	193	371
Total .....	5,085	4,927	10,012	4,881	4,654	9,535	4,568	4,377	8,945	4,841	4,556	9,397	4,641	4,502	9,143	2,121	1,917	4,038	2,192	1,781	3,973	2,584	2,091	4,675	2,362	2,044	4,406	1,994	1,780	3,774

No. 8.—RETURN showing the Number of Births Registered in each Quarter of the Year 1900 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Births.							Number of Deaths.	Excess of Births over Deaths.
	Total.	Registered in the Quarter ended the last day of—				Males.	Females.		
		March.	June.	Sept.	Dec.				
Metropolitan { City of Adelaide .....	1,022	264	274	240	244	504	518	795	227
{ Suburbs of Adelaide .....	3,071	787	807	723	754	1,570	1,501	1,238	1,833
Extra-Metropolitan.....	5,050	1,236	1,382	1,246	1,186	2,567	2,483	1,741	3,309
Total.....	9,143	2,287	2,463	2,209	2,184	4,641	4,502	3,774	5,369

No. 9.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Deaths.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1891 .....	10,737	5,481	5,256	2,314	1,205	1,109	2,774	1,423	1,351	3,037	1,558	1,479	2,612	1,295	1,317	4,211	6,526
1892 .....	10,544	5,227	5,317	2,661	1,328	1,333	2,699	1,364	1,335	2,666	1,286	1,380	2,518	1,249	1,269	3,711	6,833
1893 .....	10,683	5,444	5,239	2,500	1,270	1,230	2,813	1,458	1,355	2,929	1,489	1,440	2,441	1,227	1,214	4,520	6,163
1894 .....	10,476	5,407	5,069	2,569	1,331	1,238	2,764	1,426	1,338	2,650	1,356	1,294	2,493	1,294	1,199	4,001	6,475
1895 .....	10,537	5,404	5,133	2,590	1,320	1,270	2,771	1,439	1,332	2,772	1,410	1,362	2,404	1,235	1,169	3,921	6,616
1896 .....	10,012	5,085	4,927	2,387	1,192	1,195	2,718	1,377	1,341	2,500	1,276	1,224	2,407	1,240	1,167	4,038	5,974
1897 .....	9,535	4,881	4,654	2,339	1,201	1,138	2,361	1,198	1,163	2,556	1,338	1,218	2,279	1,144	1,135	3,973	5,562
1898 .....	8,945	4,568	4,377	2,289	1,165	1,124	2,325	1,171	1,154	2,366	1,231	1,135	1,965	1,001	964	4,675	4,270
1899 .....	9,397	4,841	4,556	2,226	1,129	1,097	2,542	1,316	1,226	2,492	1,281	1,211	2,137	1,115	1,022	4,406	4,991
1900 .....	9,143	4,641	4,502	2,287	1,132	1,155	2,463	1,239	1,224	2,209	1,119	1,090	2,184	1,151	1,033	3,774	5,369

No. 10.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.
Quarter ended March 31 .....	2,314	2,661	2,500	2,569	2,590	2,387	2,339	2,289	2,226	2,287
June 30 .....	2,774	2,699	2,813	2,764	2,771	2,718	2,361	2,325	2,542	2,463
September 30 .....	3,037	2,666	2,929	2,650	2,772	2,500	2,556	2,366	2,492	2,209
December 31 .....	2,612	2,518	2,441	2,493	2,404	2,407	2,279	1,965	2,137	2,184
Total .....	10,737	10,544	10,683	10,476	10,537	10,012	9,535	8,945	9,397	9,143

**No. 11.—DECENNIAL RETURN** showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

No. 19.	Quarter ended	March 31..... June 30 .... September 30 .... December 31 .....	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.
			594	561	532	596	512	537	515	571	545	563
			628	563	556	493	570	584	508	588	587	655
			552	469	491	485	443	504	501	514	569	512
			541	526	531	520	523	558	425	541	564	575
			Total .....			2,315	2,119	2,110	2,094	2,048	2,183	1,949

**No. 12.—DECENNIAL RETURN** showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory).

Year.	Total.	Registered in the Quarter ended last day of—				Celebrated according to rites of—																		Contracted between—									
		March.	June.	September.	December.	Church of England.	Presbyterian.	Roman Catholic.	Lutheran.	Congregationalist.	Wesleyan.	Christian Brethren.	Church of Christ.	Free Presbyterian.	Baptist.	Bible Christian.	Primitive Methodist.	Seventh Day Adventist.	Methodist New Connexion.	City Mission Church.	Friends.	Moravians.	Jews.	Unitarians.	Registrars.	Officiating Registrars.	New Jerusalem Church.	Salvation Army and C. Crusaders	Welsh Free Church.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1891 .....	2,315	594	628	552	541	407	13	298	159	117	418	11	53	1	148	163	148	—	12	—	1	4	3	6	103	—	125	22	1	2,029	76	136	74
1892 .....	2,119	561	563	469	526	399	191	259	142	130	368	16	60	—	101	143	127	—	15	—	—	1	3	9	79	9	166	7	2	1,846	62	125	86
1893 .....	2,110	532	550	491	531	404	12	240	143	120	341	14	51	2	121	195	156	—	5	—	—	1	5	4	112	7	5	16	3	1,823	71	148	68
1894 .....	2,094	596	493	485	520	443	199	258	147	100	342	9	56	—	121	165	176	—	—	—	—	1	3	2	134	11	17	9	—	1,824	83	120	67
1895 .....	2,048	512	570	443	523	417	84	272	140	121	313	10	67	—	106	161	202	—	—	—	—	3	3	8	104	6	—	24	7	1,781	78	136	53
1896 .....	2,183	537	584	504	538	465	110	249	138	118	349	12	62	3	137	188	196	2	—	—	—	1	7	1	104	5	9	25	2	1,914	76	132	61
1897 .....	1,949	515	508	501	425	404	87	200	132	117	286	11	72	2	138	147	162	—	—	—	—	1	—	—	97	6	61	21	—	1,709	69	107	64
1898 .....	2,214	571	588	514	541	443	74	276	145	106	348	14	72	3	117	146	193	2	—	—	—	4	4	1	84	40	117	25	—	1,901	92	148	73
1899 .....	2,265	545	587	560	504	404	106	267	140	109	334	27	68	5	123	178	183	3	—	—	—	1	3	1	70	160	—	19	1	1,978	90	141	56
1900 .....	2,305	563	655	512	575	531	123	221	154	135	350	35	91	—	140	185	177	2	—	12	—	2	3	—	84	35	—	25	—	2,018	60	144	83

**No. 13.—RETURN** showing the Number of Persons Married, at different Ages, in South Australia (exclusive of the Northern Territory) in the Year 1900.

Ages .....	Celebrated in Quarter ended— March 31 June 30 Sept. 30 Dec. 31	Under 20		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70 and upwards.		Not stated.				Total.		
		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		M. F.		Full.		Under.		M. F.		Total.
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
March 31	4	66	159	266	193	145	109	36	51	24	18	13	11	6	4	4	6	2	3	1	3	—	2	—	—	—	—	—	—	563	563	1,126
June 30	5	77	179	293	230	195	115	62	53	31	28	12	15	5	7	2	6	3	7	2	3	1	1	2	—	—	—	—	—	655	655	1,310
Sept. 30	9	57	149	244	185	112	83	48	40	33	26	6	10	6	2	2	3	1	2	2	2	1	1	—	—	—	—	—	—	512	512	1,024
Dec. 31	3	65	156	262	211	146	96	58	47	19	32	9	10	8	11	4	6	3	1	1	2	—	—	—	—	—	—	—	—	575	575	1,150
Total	21	265	643	1,065	825	568	403	204	191	107	104	40	46	25	24	12	21	9	13	6	10	2	4	2	—	—	—	—	—	2,305	2,305	4,610
Widowers and Spinsters	—	5	5	38	13	44	26	18	29	18	27	11	21	8	9	2	6	—	5	—	2	—	1	—	—	—	—	—	—	144	144	288
Widowers and Widows	—	—	—	—	2	5	4	15	11	14	17	14	11	11	9	8	13	8	6	4	8	2	2	2	—	—	—	—	—	83	83	166
Bachelors and Widows	—	1	5	6	15	8	13	16	12	16	6	6	5	4	2	2	1	—	—	1	—	—	1	—	—	—	—	—	—	60	60	120
Signatures by mark	—	2	4	3	5	2	3	1	—	2	4	3	1	4	1	3	2	2	1	2	1	—	—	1	—	—	—	—	—	22	25	47



**No. 14.—RETURN** showing the Number of Deaths registered in each Quarter of the Year 1900 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Total.	Males.	Females.	Registered in the Quarter ended last day of—				Number of Births.	Excess of Births over Deaths.
				March.	June.	September.	December.		
Metropolitan { City of Adelaide.....	795	456	339	235	167	192	201	1,022	227
Suburbs “ .....	1,238	620	618	293	306	297	342	3,071	1,833
Extra-Metropolitan .....	1,741	918	823	480	397	432	432	5,050	3,309
Total .....	3,774	1,994	1,780	1,008	870	921	975	9,143	5,369

**No. 15.—DECENNIAL RETURN** showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in each Year ; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Births.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1891.....	4,211	2,252	1,959	874	471	403	1,099	581	518	968	527	441	1,270	673	597	10,737	6,526
1892.....	3,711	2,039	1,672	1,129	612	517	953	531	422	810	434	376	819	462	357	10,544	6,833
1893.....	4,520	2,467	2,053	1,041	574	467	1,049	556	493	1,144	628	516	1,286	709	577	10,683	6,163
1894.....	4,001	2,184	1,817	1,048	584	464	1,019	556	463	972	532	440	962	512	450	10,476	6,475
1895.....	3,921	2,165	1,756	990	579	411	905	503	402	839	462	377	1,187	621	566	10,537	6,616
1896.....	4,038	2,121	1,917	1,123	568	555	1,009	540	469	958	498	460	948	515	433	10,012	5,974
1897.....	3,973	2,192	1,781	1,009	550	459	978	530	448	875	510	365	1,111	602	509	9,535	5,562
1898.....	4,675	2,584	2,091	1,314	730	584	1,156	644	512	904	500	404	1,301	710	591	8,945	4,270
1899.....	4,406	2,362	2,044	1,115	610	505	1,137	636	501	898	458	440	1,256	658	598	9,397	4,991
1900.....	3,774	1,994	1,780	1,008	531	477	870	464	406	921	484	437	975	515	460	9,143	5,369

**No. 16.—DECENNIAL RETURN** showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.
Quarter ended March 31 .....	874	1,129	1,041	1,048	990	1,123	1,009	1,314	1,115	1,008
June 30 .....	1,099	953	1,049	1,019	905	1,009	978	1,156	1,137	870
September 30 .....	968	810	1,144	972	839	958	875	904	898	921
December 31 .....	1,270	819	1,286	962	1,187	948	1,111	1,301	1,256	975
Total .....	4,211	3,711	4,520	4,001	3,921	4,038	3,973	4,675	4,406	3,774

No. 17.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) in each Month.

Month.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.
January .....	291	400	330	435	326	442	290	506	437	402
February .....	296	352	309	310	365	329	346	400	351	281
March .....	287	377	402	303	299	352	373	408	327	325
April .....	302	348	328	340	305	291	318	438	369	289
May.....	385	310	358	348	356	341	294	357	392	310
June .....	412	295	363	331	244	377	366	361	376	271
July.....	321	251	332	303	301	339	297	268	290	291
August .....	321	302	380	333	274	333	306	317	308	331
September .....	326	257	432	336	264	286	272	319	300	299
October .....	324	228	381	292	351	275	247	340	469	304
November .....	485	295	452	328	411	292	367	486	432	327
December .....	461	296	453	342	425	381	497	475	355	344
Total .....	4,211	3,711	4,520	4,001	3,921	4,038	3,973	4,675	4,406	3,774

No. 18.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) at Different Periods of Age.

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40.			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1891 .....	561	415	976	378	394	772	342	335	677	361	297	658	484	388	872	125	128	253	1	2	3	2,252	1,959	4,211
1892 .....	561	461	1,022	332	320	652	307	282	589	302	229	531	422	271	693	111	108	219	4	1	5	2,039	1,672	3,711
1893 .....	708	537	1,245	546	515	1,061	313	311	624	352	230	582	434	355	789	106	105	211	8	—	8	2,467	2,053	4,520
1894 .....	556	428	984	418	360	778	317	305	622	327	229	556	461	389	850	102	106	208	3	—	3	2,184	1,817	4,001
1895 .....	578	442	1,000	317	300	617	310	325	635	351	231	582	476	364	840	129	114	243	4	—	4	2,165	1,756	3,921
1896 .....	557	458	1,015	279	320	599	323	361	684	379	258	637	459	373	832	123	147	270	1	—	1	2,121	1,917	4,038
1897 .....	586	454	1,040	295	280	575	294	310	604	371	249	620	513	384	897	131	104	235	2	—	2	2,102	1,781	3,973
1898 .....	726	525	1,251	407	391	798	345	338	683	404	267	671	555	422	977	145	148	293	2	—	2	2,584	2,091	4,675
1899 .....	596	453	1,049	353	363	716	324	353	677	375	294	669	574	421	995	138	160	298	2	—	2	2,362	2,044	4,406
1900 .....	471	440	911	273	277	550	266	297	563	369	257	626	475	368	843	139	140	279	1	1	2	1,994	1,780	3,774

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
	ALL CAUSES .....	1,994	471	79	22	19	7	62	39	45	62	72	57	75	95	85	94	95	117	131	126	101	77	42	15	5	1
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES .....	210	95	19	5	5	4	8	8	5	15	7	7	5	6	4	4	3	1	2	1	5	—	1	—	—	—
II.	PARASITIC DISEASES .....	6	—	—	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—
III.	DIETIC DISEASES .....	12	6	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES .....	334	17	8	2	4	1	12	5	10	21	35	19	22	28	18	25	23	31	18	19	11	1	3	—	—	1
V.	DEVELOPMENTAL DISEASES .....	212	72	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	3	9	19	26	40	24	12	5	—
VI.	LOCAL DISEASES .....	938	183	41	13	6	2	23	16	24	17	21	17	34	37	48	51	63	72	87	79	56	33	12	3	—	—
VII.	VIOLENCE .....	177	13	5	2	3	—	18	10	6	9	7	14	13	17	12	10	4	9	11	8	3	2	1	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES .....	105	85	6	—	—	—	1	—	—	—	—	—	1	4	—	1	2	—	3	—	—	1	1	—	—	—
I.	1. MIASMATIC DISEASES .....	82	10	4	3	5	1	6	5	5	13	5	5	2	5	3	3	2	—	1	—	4	—	—	—	—	—
	2. DIARRHEAL DISEASES .....	112	79	15	2	—	3	2	1	—	1	1	1	1	—	—	1	—	—	1	1	1	—	—	—	—	—
	3. MALARIAL DISEASES .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES .....	7	4	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES .....	8	2	—	—	—	—	—	2	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
II.	PARASITIC DISEASES .....	6	—	—	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—
III.	DIETIC DISEASES .....	12	6	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES .....	334	17	8	2	4	1	12	5	10	21	35	19	22	28	18	25	23	31	18	19	11	1	3	—	—	1
V.	DEVELOPMENTAL DISEASES .....	212	72	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	3	9	19	26	40	24	12	5	—
VI.	1. DISEASES OF NERVOUS SYS- TEM .....	205	40	9	1	3	—	5	6	4	4	6	3	9	9	13	9	12	13	18	17	11	7	4	2	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM .....	221	6	3	—	—	—	3	1	6	6	4	6	6	11	9	15	24	22	33	30	23	9	3	1	—	—
	4. DISEASES OF RESPIRATORY SYSTEM .....	224	46	18	6	3	1	10	4	8	4	7	7	14	6	9	7	10	11	15	13	11	10	4	—	—	—
	5. DISEASES OF DIGESTIVE SYS- TEM .....	177	87	11	6	—	1	3	1	2	1	2	1	2	6	6	8	6	12	10	6	4	1	1	—	—	—
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS .....	4	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYS- TEM .....	96	1	—	—	—	—	1	4	2	2	2	—	3	5	11	9	8	11	11	13	7	6	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTU- RITION .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION .....	4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM .....	5	1	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE .....	150	13	5	2	3	—	18	10	6	8	5	10	10	11	7	9	4	7	8	8	3	2	1	—	—	—
	2. HOMICIDE .....	26	—	—	—	—	—	—	—	—	1	2	4	3	5	5	1	—	2	3	—	—	—	—	—	—	—
	3. SUICIDE .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. EXECUTION .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES .....	105	85	6	—	—	—	1	—	—	—	—	—	1	4	—	1	2	—	3	—	—	1	1	—	—	—
I.	Miasmatic Diseases.																										
	Smallpox .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles .....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza .....	22	3	—	—	1	—	—	—	3	1	1	1	1	1	2	2	2	—	1	—	3	—	—	—	—	—
	Whooping Cough .....	11	7	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria .....	12	—	1	2	3	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever .....	32	—	—	1	—	—	2	3	1	11	3	4	1	4	1	1	—	—	—	—	—	—	—	—	—	—
	Other Miasmatic Diseases .....	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Diarrhœal Diseases.																										
	Simple Cholera .....	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhœa, Dysentery .....	109	77	14	2	—	3	2	1	—	—	1	1	1	—	—	1	1	—	1	1	1	—	—	—	—	—
	Malarial Diseases.																										
	Remittent Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Malarial Diseases .....	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



**No. 19.**—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—*continued*.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
	ALL CAUSES.....	1,780	440	68	24	15	9	43	37	81	78	61	70	88	79	56	55	67	76	98	110	84	74	49	12	5	1
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES.....	213	88	19	8	2	4	16	4	10	9	4	9	9	3	3	2	2	4	1	6	5	2	3	—	—	—
II.	PARASITIC DISEASES.....	8	3	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES.....	6	3	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	328	5	7	1	2	1	7	8	31	38	24	19	34	28	13	18	22	25	12	18	8	5	2	—	—	—
V.	DEVELOPMENTAL DISEASES	201	65	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	4	7	13	27	35	31	12	4	—
VI.	LOCAL DISEASES.....	858	178	35	14	9	3	14	20	31	28	30	35	42	46	37	30	40	43	73	72	40	29	8	—	1	—
VII.	VIOLENCE.....	63	13	2	1	1	1	5	4	5	3	2	2	2	2	—	4	2	—	4	1	3	2	3	—	—	1
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	103	85	4	—	—	—	1	—	2	—	1	1	1	—	2	1	1	—	—	—	1	1	2	—	—	—
I.	1. MIASMATIC DISEASES.....	92	16	3	7	2	4	13	4	9	6	2	3	4	2	2	1	1	3	—	3	4	2	1	—	—	—
	2. DIARRHEAL DISEASES.....	100	68	15	1	—	—	3	—	—	—	1	1	1	—	1	1	1	1	3	1	—	2	—	—	—	—
	3. MALARIAL DISEASES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGNOUS DISEASES.....	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENERAL DISEASES.....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES.....	18	2	1	—	—	—	—	—	—	3	1	5	4	1	1	—	—	—	—	—	—	—	—	—	—	—
II.	PARASITIC DISEASES.....	8	3	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
III.	DIETIC DISEASES.....	6	3	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES.....	328	5	7	1	2	1	7</																			

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—*continued*.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
I.	<i>Zoogenous Diseases.</i>																										
	Hydrophobia .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																										
	Syphilis .....	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra .....	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>																										
	Phagedæna .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas .....	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia .....	6	1	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	Puerperal Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>Parasitic Diseases.</i>																										
	Thrush .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Vegetable Parasites .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hydatid Disease .....	6	—	—	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	—	—	—	—	—	—	—	
	Other Diseases from Animal Parasites .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III.	<i>Dietic Diseases.</i>																										
	Starvation, Want of Breast Milk .....	7	6	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	Scurvy .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Intemperance { Chronic Alcoholism Delirium Tremens .....	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
IV.	<i>Constitutional Diseases.</i>																										
	Rheumatic Fever, Rheumatism of Heart .....	8	—	—	—	—	—	3	—	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	
	Rheumatism .....	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	Gout .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	Rickets .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cancer, Malignant Disease .....	103	—	—	1	2	—	—	—	—	1	2	2	2	4	3	12	17	22	11	14	8	—	2	—	—	
	Tabes Mesenterica .....	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tubercular Meningitis (Acute Hydrocephalus) .....	18	6	4	—	1	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Phthisis .....	147	—	1	1	—	1	—	1	5	19	29	16	17	20	13	5	2	5	5	4	2	—	—	—	1	
	Other forms of Tuberculosis, Scrofula .....	26	4	1	—	—	—	2	2	3	1	2	1	3	2	1	2	1	1	—	—	—	—	—	—	—	
	Purpura, Hæmorrhagic Diathesis .....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Anæmia, Chlorosis, Leucocythæmia .....	14	3	—	—	1	—	—	—	—	—	—	—	—	1	—	4	1	3	1	—	—	—	—	—	—	
	Diabetes Mellitus .....	5	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	1	—	—	—	—	—	
	Other Constitutional Diseases .....	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
V.	<i>Developmental Diseases.</i>																										
	Premature Birth .....	58	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Atelectasis .....	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cyanosis .....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Spina Bifida .....	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Imperforate Anus .....	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cleft Palate, Harelip .....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Congenital Defects .....	3	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Old Age .....	138	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	9	19	26	40	24	12	5	
VI.	<i>Diseases of Nervous System.</i>																										
	Inflammation of Brain or its Membranes .....	29	11	5	1	—	—	4	3	2	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Apoplexy .....	50	—	1	—	—	—	—	—	—	—	1	—	—	3	2	3	4	3	11	7	4	5	4	2	—	
	Softening of Brain .....	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hemiplegia, Brain Paralysis .....	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Paralysis Undefined .....	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Paralysis Agitans .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Insanity, General Paralysis of Insane .....	28	—	—	—	—	—	—	1	1	1	2	2	—	3	6	1	1	2	2	3	3	—	—	—	—	
	Chorea .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Epilepsy .....	12	—	—	—	1	—	—	1	2	1	—	3	1	1	—	—	1	1	—	—	—	—	—	—	—	
	Convulsions .....	30	26	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Laryngismus Stridulus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Idiopathic Tetanus .....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Paraplegia, Disease of Spinal Cord .....	9	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	2	1	—	1	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—*continued*.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
I.	<i>Zoogenous Diseases.</i>																										
	Hydrophobia .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																										
	Syphilis .....	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>																										
	Phagedæna .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas .....	5	2	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia .....	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Fever .....	10	—	—	—	—	—	—	—	—	3	1	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>Parasitic Diseases.</i>																										
	Thrush .....	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites .....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Hydatid Disease .....	4	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Animal Parasites .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III.	<i>Dietic Diseases.</i>																										
	Starvation, Want of Breast Milk .....	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scurvy .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Intemperance { Chronic Alcoholism Delirium Tremens .....	3	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
IV.	<i>Constitutional Diseases.</i>																										
	Rheumatic Fever, Rheumatism of Heart .....	13	—	—	1	—	—	3	3	3	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	
	Rheumatism .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	Gout .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rickets .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cancer, Malignant Disease .....	107	—	—	1	—	—	1	—	—	1	2	3	9	5	8	11	16	16	9	14	7	3	1	—	—	
	Tabes Mesenterica .....	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tubercular Meningitis (Acute Hydrocephalus) .....	10	1	3	—	—	—	2	2	—	1	—	1	—	—	—	—	16	16	9	14	—	—	—	—	—	
	Phthisis .....	152	1	—	—	—	—	1	—	22	31	20	14	19	22	4	6	5	2	1	4	—	—	—	—	—	
	Other forms of Tuberculosis, Scrofula .....	23	2	1	—	1	1	—	1	4	5	2	1	3	1	1	—	—	—	—	—	—	—	—	—	—	
	Purpura, Hæmorrhagic Diathesis .....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Anæmia, Chlorosis, Leucocythæmia .....	6	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	Diabetes Mellitus .....	11	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	
	Other Constitutional Diseases .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
V.	<i>Developmental Diseases.</i>																										
	Premature Birth .....	54	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Atelectasis .....	9	8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cyanosis .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Spina Bifida .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Imperforate Anus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cleft Palate, Harelip .....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Congenital Defects .....	4	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Old Age .....	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	7	13	27	35	31	12	4		
VI.	<i>Diseases of Nervous System.</i>																										
	Inflammation of Brain or its Membranes .....	34	13	1	2	2	—	1	3	5	2	3	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Apoplexy .....	60	—	—	—	—	—	—	—	—	—	—	—	6	1	2	3	4	13	13	9	6	2	—	—	—	
	Softening of Brain .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hemiplegia, Brain Paralysis .....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	1	1	—	—	—	
	Paralysis Undefined .....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	
	Paralysis Agitans .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	Insanity, General Paralysis of Insane .....	18	—	—	—	—	—	—	—	1	—	—	—	—	1	3	2	1	2	—	2	4	2	—	—	—	
	Chorea .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Epilepsy .....	7	—	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	1	2	—	—	—	—	—	
	Convulsions .....	30	26	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Laryngismus Stridulus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Idiopathic Tetanus .....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Paraplegia, Disease of Spinal Cord .....	6	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	2	—	2	—	—	—	—	—	—	



**No. 19.**—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—*continued.*

Class.	Cause of Death.	MALES.																											
		Ages at Death.																											
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and over.	Not Stated		
<i>Diseases of Nervous System—cont.</i>																													
Other Diseases of Nervous System .....		17	—	2	—	—	—	1	—	—	—	1	—	1	2	3	2	2	1	—	1	1	—	—	—	—	—	—	
<i>Diseases of Organs of Special Sense.</i>																													
Otitis, Otorrhœa and Disease of Ear .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epistaxis and Disease of Nose .....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ophthalmia and Disease of Eye .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Diseases of Circulatory System.</i>																													
Endocarditis, Valvular Disease...		12	—	—	—	—	—	—	—	2	—	—	1	1	1	1	1	—	1	1	—	3	—	—	—	—	—	—	
Pericarditis .....		2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Hypertrophy of Heart .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Angina Pectoris .....		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syncope .....		7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—	
Aneurism .....		10	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	
Senile Gangrene .....		1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	4	1	2	1	—	—	—	—	—	—	—	
Embolism, Thrombosis .....		8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
Phlebitis .....		1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
Varicose Veins .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Circulatory System .....		176	5	2	—	—	—	3	1	3	6	3	4	5	9	5	12	17	19	27	27	19	6	2	1	—	—	—	
<i>Diseases of Respiratory System.</i>																													
Laryngitis .....		4	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Croup .....		5	—	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Larynx and Trachea .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Emphysema, Asthma .....		7	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis .....		85	23	4	2	1	1	1	—	1	1	—	—	2	1	—	3	7	5	10	7	7	7	1	2	—	—	—	
Pneumonia .....		102	21	10	4	1	—	4	3	6	3	6	6	10	3	5	3	2	3	4	3	3	1	—	—	—	—	—	
Pleurisy .....		11	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Respiratory System .....		10	1	—	—	—	—	1	—	1	—	—	—	—	—	2	—	1	1	1	2	—	—	—	—	—	—	—	
<i>Diseases of Digestive System.</i>																													
Stomatitis .....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Dentition .....		15	10	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sore Throat, Quinsy .....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Dyspepsia .....		2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmatemesis .....		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Melæna .....		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Disease of Stomach .....		11	5	—	—	—	—	1	—	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	
Enteritis .....		75	57	4	5	—	1	—	—	—	—	1	—	—	—	2	—	1	1	—	1	2	—	—	—	—	—	—	
Ulceration of Intestine .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus, Obstruction of Intestine .....		7	2	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
Stricture, or Strangulation of Intestine .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intussusception of Intestine .....		5	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia .....		7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
Fistula .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis .....		8	—	1	—	—	—	1	—	1	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	
Ascites .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gallstones .....		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cirrhosis of Liver .....		14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Other Diseases of Liver .....		19	7	—	—	—	—	—	—	—	—	—	—	—	3	—	4	—	4	2	1	—	—	—	—	—	—	—	
Other Diseases of Digestive System .....		5	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	
<i>Diseases of Lymphatic System and Ductless Glands.</i>																													
Diseases of Lymphatic System .....		3	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diseases of Spleen .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchocele .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Addison's Disease .....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Diseases of Urinary System.</i>																													
Acute Nephritis .....		14	—	—	—	—	—	1	2	—	1	1	—	1	—	3	—	2	1	—	1	—	—	—	—	—	—	—	
Bright's Disease .....		39	—	—	—	—	—	—	2	—	2	1	—	—	3	6	5	5	5	6	4	1	1	—	—	—	—	—	
Uræmia .....		5	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Suppression of Urine .....		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Calculus .....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmaturia .....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diseases of Bladder and of Prostate .....		19	1	—	—	—	—	—	—	—	—	—																	

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—*continued*.

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
<i>Diseases of Nervous System—cont.</i>																												
	Other Diseases of Nervous System .....	11	2	—	—	—	—	—	2	1	—	—	—	1	1	1	1	—	—	1	1	—	—	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																												
	Otitis, Otorrhœa and Disease of Ear .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																												
	Endocarditis, Valvular Disease ...	23	1	—	—	—	—	—	1	2	3	1	2	—	1	—	2	1	3	1	2	1	—	—	1	—	—	—
	Pericarditis .....	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Angina Pectoris .....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Syncope .....	9	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aneurism .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Senile Gangrene .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Embolism, Thrombosis .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlebitis .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System .....	159	8	—	1	1	1	5	4	7	4	—	4	10	9	9	7	10	17	19	17	13	10	3	—	—	—	—
<i>Diseases of Respiratory System.</i>																												
	Laryngitis .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchitis .....	72	18	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pneumonia .....	89	20	9	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pleurisy .....	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Respiratory System .....	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Digestive System.</i>																												
	Stomatitis .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition .....	15	9	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmatemesis .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Melæna .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach .....	14	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteritis .....	76	55	9	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulceration of Intestine .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine ...	11	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Stricture, or Strangulation of Intestine .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine .....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia .....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fistula .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis .....	21	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ascites .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gallstones .....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cirrhosis of Liver .....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Liver .....	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Digestive System .....	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																												
	Diseases of Lymphatic System ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Spleen .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																												
	Acute Nephritis .....	8	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bright's Disease .....	27	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Uræmia .....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suppression of Urine .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</											

**No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—continued.**

Class.	Cause of Death.	MALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
VII.	<i>Diseases of Organs of Generation.</i>																											
	Ovarian Disease .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c. ....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	<i>Diseases of Parturition.</i>																											
	Abortion, Miscarriage .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Organs of Locomotion.</i>																											
	Caries, Necrosis .....	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion .....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Integumentary System.</i>																											
	Carbuncle .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis .....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Eczema .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Accident or Negligence.</i>																											
	Fracture and Contusion .....	75	—	—	—	3	—	7	5	5	7	4	5	6	6	2	5	1	4	5	5	3	1	1	—	—	—	—
	Gunshot Wounds ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald ..	8	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat..	16	4	—	—	—	—	—	—	—	—	—	2	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—
	Lightning .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison .....	8	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bite of Snake or Insect .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning .....	26	—	2	—	—	—	6	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation .....	11	4	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise .....	5	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Homicide.</i>																											
	Murder, Manslaughter .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable Homicide .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Suicide.</i>																											
	Gunshot Wounds .....	7	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab .....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison .....	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hanging .....	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Execution.</i>																											
	Hanging .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	<i>Ill-defined and not Specified Causes.</i>																											
	Dropsy .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Debility, Atrophy, Inanition ....	88	80	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Mortification .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tumor .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Abscess .....	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hæmorrhage .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden (cause unascertained) ....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Ill-defined and not Specified Causes .....	11	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1900—*continued*.

[illegible]

Months.	Births.			Class.	Causes of Death.	Deaths.																	
						Ages at Death.																	
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—		
	M.	F.	Total.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
January ...	370	369	739		Total .....	215	187	402	57	58	10	11	2	5	4	—	3	2	9	6	3	3	
				I.	Zymotic diseases .....	29	32	61	11	12	2	6	—	2	1	—	2	1	2	4	1	1	
				II.	Parasitic diseases .....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases.....	39	32	71	2	1	3	1	—	—	—	1	—	2	—	—	—	—	
				V.	Developmental diseases .....	18	16	34	8	6	—	—	—	—	1	—	—	—	—	—	—	—	
				VI.	Local diseases .....	78	73	151	19	19	4	3	1	3	1	—	1	3	2	2	1	1	
				VII.	Violence .....	33	19	52	4	5	—	1	1	1	1	—	—	2	—	—	—	—	
				VIII.	Ill-defined or not specified causes .....	16	15	31	13	15	1	—	—	—	—	—	—	—	—	—	—	—	
February...	355	349	704		Total .....	148	133	281	45	50	2	6	2	1	2	1	—	1	3	4	4	1	
				I.	Zymotic diseases .....	18	25	43	11	14	1	3	1	—	—	—	—	—	2	—	—	—	
				II.	Parasitic diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases.....	27	25	52	2	—	—	—	—	—	1	—	1	—	—	1	—	—	
				V.	Developmental diseases .....	11	12	23	4	8	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases .....	66	52	118	18	16	1	2	1	1	—	1	—	2	—	1	1		
				VII.	Violence .....	17	9	26	1	3	—	—	—	—	1	—	—	1	2	2	—	—	
				VIII.	Ill-defined or not specified causes .....	9	10	19	9	9	—	1	—	—	—	—	—	—	—	—	—	—	
March .....	407	437	844		Total .....	168	157	325	51	45	7	6	2	3	2	1	2	1	6	4	2	5	
				I.	Zymotic diseases .....	22	23	45	7	11	3	2	—	2	1	1	1	—	1	1	—	1	
				II.	Parasitic diseases .....	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases.....	28	28	56	1	—	1	—	—	—	—	—	—	2	2	—	2	—	
				V.	Developmental diseases .....	17	18	35	11	9	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases .....	74	74	148	21	18	3	2	2	1	1	—	1	—	1	1	1	1	
				VII.	Violence.....	13	5	18	—	—	—	—	—	—	—	—	1	2	—	1	1	1	
				VIII.	Ill-defined or not specified causes.....	13	8	21	10	6	1	1	—	—	—	—	—	—	—	—	—	—	
April.....	381	377	758		Total .....	167	122	289	51	30	7	9	1	1	1	—	—	—	4	4	3	2	
				I.	Zymotic diseases .....	21	13	34	11	2	2	2	1	—	—	—	—	—	3	—	—	—	
				II.	Parasitic diseases .....	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases.....	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases.....	26	24	50	2	1	1	—	—	—	—	—	—	2	—	—	1	—	
				V.	Developmental diseases .....	23	16	39	7	4	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases .....	76	55	131	21	15	4	6	—	1	1	—	—	1	1	2	1	1	
				VII.	Violence .....	11	6	17	—	1	—	1	—	—	—	—	—	1	—	1	—	—	
				VIII.	Ill-defined or not specified causes .....	8	7	15	8	6	—	—	—	—	—	—	—	—	—	—	—	—	
May .....	420	423	843		Total .....	153	157	310	38	40	10	2	1	4	—	—	1	5	3	7	4	4	
				I.	Zymotic diseases .....	21	18	39	9	5	3	2	—	1	—	—	—	3	—	3	1	1	
				II.	Parasitic diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases.....	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases.....	28	28	56	2	1	—	—	1	1	—	—	—	—	1	1	—	—	
				V.	Developmental diseases .....	16	14	30	6	4	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases .....	65	73	138	12	10	6	—	2	—	—	—	1	—	1	3	3	3	
				VII.	Violence .....	12	4	16	1	2	1	—	—	—	—	—	—	1	1	—	—	—	
				VIII.	Ill-defined or not specified causes .....	10	19	29	8	18	—	—	—	—	—	—	—	1	—	—	—	—	
June.....	438	424	862		Total .....	144	127	271	22	14	5	5	1	2	1	3	—	1	5	6	1	2	
				I.	Zymotic diseases .....	9	9	18	1	3	1	—	—	1	—	—	—	—	1	—	—	—	
				II.	Parasitic diseases .....	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases.....	20	34	54	—	—	—	—	—	—	1	1	—	—	1	1	—	1	
				V.	Developmental diseases .....	17	17	34	3	5	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases .....	81	63	144	11	5	4	4	1	1	—	2	—	1	4	3	1	1	
				VII.	Violence .....	8	1	9	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
				VIII.	Ill-defined or not specified causes.....	8	2	10	7	1	—	1	—	—	—	—	—	—	—	—	—	—	

Ages at Death.

No.



Months.	Births.			Class.	Causes of Death.	Deaths.															
						Ages at Death.															
	Totals.					Under 1 Year.		1—		2—		3—		4—		5—		10—			
								M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
M.	F.	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
July .....	378	375	751	Total .....	158	133	291	25	23	6	3	—	1	1	2	—	1	4	1	3	2
				I. Zymotic diseases.....	5	9	14	2	2	—	—	—	—	1	—	—	—	—	1	—	—
				II. Parasitic diseases .....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III. Dietic diseases.....	3	2	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV. Constitutional diseases.....	29	24	53	1	—	1	1	—	—	—	—	—	—	—	—	—	1
				V. Developmental diseases.....	15	19	34	2	6	—	—	—	—	—	—	—	—	—	—	—	—
				VI. Local diseases .....	86	72	158	14	11	5	1	—	1	1	1	—	—	2	1	1	1
				VII. Violence.....	12	2	14	—	—	—	—	—	—	—	—	—	—	2	—	1	—
				VIII. Ill-defined or not specified causes.....	7	5	12	5	3	—	1	—	—	—	—	—	—	—	—	—	—
August.....	365	358	723	Total .....	168	163	331	29	24	4	6	2	2	1	2	—	—	3	3	5	4
				I. Zymotic diseases.....	8	10	18	2	1	—	—	—	—	1	—	—	—	1	1	1	—
				II. Parasitic diseases .....	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				III. Dietic diseases.....	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV. Constitutional diseases.....	27	31	58	2	—	—	3	—	—	—	—	—	—	—	2	1	1
				V. Developmental diseases .....	21	23	44	7	5	—	—	—	—	—	—	—	—	—	—	—	—
				VI. Local diseases .....	88	87	175	10	13	1	3	2	2	—	2	—	—	1	—	2	3
				VII. Violence.....	12	4	16	3	1	—	—	—	—	—	—	—	—	1	—	1	—
				VIII. Ill-defined or not specified causes.....	11	6	17	5	3	3	—	—	—	—	—	—	—	—	—	—	—
September.	376	357	733	Total .....	158	141	299	24	18	5	4	4	1	3	2	2	—	7	—	1	4
				I. Zymotic diseases.....	15	6	21	4	—	—	—	—	1	—	1	—	—	—	—	—	—
				II. Parasitic diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III. Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV. Constitutional diseases.....	24	29	53	1	—	1	—	—	—	1	—	—	—	1	—	—	1
				V. Developmental diseases .....	14	17	31	2	4	—	—	—	—	—	1	—	—	—	—	—	—
				VI. Local diseases .....	83	79	162	11	12	3	4	3	—	—	—	1	—	3	—	—	3
				VII. Violence .....	18	5	23	2	—	1	—	—	1	1	1	—	—	3	—	1	—
				VIII. Ill-defined or not specified causes.....	4	5	9	4	2	—	—	—	—	—	—	—	—	—	—	—	—
October ...	375	350	725	Total .....	159	145	304	29	30	5	5	2	1	4	1	—	1	8	3	4	1
				I. Zymotic diseases.....	12	12	24	5	3	2	—	—	1	1	—	—	1	1	—	1	1
				II. Parasitic diseases .....	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III. Dietic diseases.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV. Constitutional diseases.....	28	30	58	2	2	1	1	1	—	1	—	—	—	2	—	1	—
				V. Developmental diseases .....	19	17	36	6	7	—	1	—	—	—	—	—	—	—	—	—	—
				VI. Local diseases .....	84	78	162	10	14	1	3	1	—	2	1	—	—	5	2	2	—
				VII. Violence.....	7	1	8	—	—	1	—	—	—	—	—	—	—	—	—	—	—
				VIII. Ill-defined or not specified causes .....	7	6	13	6	4	—	—	—	—	—	—	—	—	1	—	—	—
November.	404	347	751	Total .....	185	142	327	52	45	9	4	1	1	—	2	—	1	6	4	3	8
				I. Zymotic diseases.....	20	24	44	12	12	2	2	—	—	—	—	—	1	—	2	1	—
				II. Parasitic diseases .....	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—
				III. Dietic diseases.....	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV. Constitutional diseases.....	38	15	53	—	—	—	—	—	—	—	—	—	—	1	—	—	1
				V. Developmental diseases .....	19	12	31	12	3	—	—	—	—	—	—	—	—	—	—	—	—
				VI. Local diseases .....	82	74	156	19	20	5	2	—	1	—	2	—	—	1	1	1	4
				VII. Violence.....	18	6	24	1	1	2	—	1	—	—	—	—	—	4	1	1	2
				VIII. Ill-defined or not specified causes .....	7	8	15	7	8	—	—	—	—	—	—	—	—	—	—	—	—
December .	372	336	708	Total .....	171	173	344	48	63	9	7	4	2	—	1	—	—	2	5	3	1
				I. Zymotic diseases.....	30	32	62	20	23	3	2	2	1	—	—	—	—	—	2	—	—
				II. Parasitic diseases .....	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III. Dietic diseases.....	2	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV. Constitutional diseases.....	20	28	48	2	—	1	—	—	—	—	1	—	—	1	1	1	—
				V. Developmental diseases .....	22	20	42	4	4	—	—	—	—	—	—	—	—	—	—	—	—
				VI. Local diseases .....	75	78	153	17	25	4	5	2	1	—	—	—	—	2	—	1	—
				VII. Violence.....	16	1	17	1	—	—	—	—	—	—	—	—	—	1	—	2	—
				VIII. Ill-defined or not specified causes.....	5	12	17	3	10	1	—	—	—	—	—	—	—	—	—	—	—

(exclusive of the Northern Territory) in each Month of the Year 1900—continued.

## Deaths.

## Ages at Death.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and Over		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
3	9	9	5	2	4	6	7	7	7	13	2	3	9	10	4	9	7	11	4	13	10	11	9	11	12	3	6	6	3	2	2	—	—	—	—
—	2	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	3	4	3	—	1	4	2	1	2	4	2	1	3	1	2	2	2	3	1	—	—	3	1	2	—	—	—	1	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	2	4	3	1	3	3	2	2	2	—	—	—	—
2	4	3	2	1	3	2	4	3	3	6	—	1	6	6	2	6	4	7	2	11	9	6	5	5	8	2	3	2	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	3	—	1	—	—	—	2	—	1	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	6	9	7	5	6	4	9	8	6	5	6	4	9	11	3	10	9	14	7	16	12	10	15	7	7	9	10	6	7	2	2	1	1	—	—
—	—	—	—	—	—	—	1	2	2	—	—	—	2	—	—	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	4	3	3	2	—	2	3	—	2	2	1	1	4	2	2	4	3	3	1	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—
2	4	5	4	2	4	4	6	3	4	—	4	3	5	6	—	6	5	9	1	12	8	7	12	6	2	3	4	3	—	1	2	1	—	—	
1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	1	—	1	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
6	8	4	10	7	6	5	9	4	12	7	7	6	4	5	4	9	5	10	11	8	7	16	10	12	11	6	5	7	1	—	2	—	—	—	
1	—	—	3	2	—	2	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	3	3	4	3	1	—	3	1	4	3	2	1	—	—	—	2	4	1	5	1	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	3	1	3	1	5	1	4	2	7	1	4	4	3	4	4	6	—	9	6	7	4	9	7	8	7	5	3	2	—	—	—	—	—	—	
2	1	—	—	1	2	1	1	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	6	2	5	5	4	4	4	5	12	5	6	17	6	5	3	8	9	12	10	14	14	8	7	5	9	7	4	4	2	2	1	1	1	—	
1	1	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	—	3	—	2	1	1	1	3	4	4	4	1	—	2	1	2	4	4	4	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	1	1	2	4	2	2	2	2	7	—	2	13	5	4	1	7	7	7	6	5	10	7	4	4	7	2	2	2	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	4	6	4	5	—	6	6	8	7	9	5	9	5	8	5	11	2	9	3	9	8	9	11	15	4	3	8	4	4	2	1	—	—	—	
—	—	1	—	—	—	1	—	—	—	—	1	1	1	—	—	1	1	—	—	—	1	—	—	1	—	—	2	—	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	4	1	2	—	1	2	2	3	4	1	3	—	1	3	5	—	5	—	2	—	1	3	4	—	—	—	2	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	3	2	—	1	3	5	4	5	3	4	4	6	2	5	1	3	2	6	6	7	8	9	2	2	3	—	1	1	—	—	—	—	—	
1	1	—	—	—	3	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	7	7	6	3	6	5	3	5	6	9	5	5	7	7	8	2	6	17	8	11	7	14	6	9	4	3	9	4	5	1	1	1	—	—	
—	2	3	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	—	4	1	2	2	2	2	4	1	1	—	1	2	1	—	2	3	3	1	1	2	2	1	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	2	2	2	2	1	—	3	1	4	4	3	6	3	6	2	4	11	5	5	6	9	2	2	1	2	1	—	2	1	—	—	—	—	—
—	—	2	—	—	—	2	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Months.	Births.			Class.	Causes of Death.	Deaths.																	
						Ages at Death.																	
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—		
M.	F.	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
January ...	52	39	91		Total .....	46	46	92	8	9		1	4		1				3	4			
				I.	Zymotic diseases .....	1	8	9		1		3		1					1	2			
				II.	Parasitic diseases .....																		
				III.	Dietic diseases.....																		
				IV.	Constitutional diseases.....	9	8	17	1		1												
				V.	Developmental diseases .....	4	4	8	1	1													
				VI.	Local diseases .....	18	17	35	4	3									1	2			
				VII.	Violence .....	12	5	17				1							1				
				VIII.	Ill-defined or not specified causes.....	2	4	6	2	4													
February...	39	36	75		Total .....	37	29	66	5	6		2	1		1						3	1	
				I.	Zymotic diseases .....	3	6	9		2		1	1										
				I.	Parasitic diseases .....																		
				III.	Dietic diseases.....																		
				IV.	Constitutional diseases.....	11	8	19							1						1		
				V.	Developmental diseases .....	3		3	1														
				VI.	Local diseases .....	14	8	22	2												1	1	
				VII.	Violence .....	5	4	9	1	2											1		
				VIII.	Ill-defined or not specified causes.....	1	3	4	1	2		1											
March .....	42	56	98		Total .....	47	30	77	13	6	3								2	1	1	2	
				I.	Zymotic diseases .....	5	4	9	1	1	1											1	
				II.	Parasitic diseases .....		1	1		1					1								
				III.	Dietic diseases.....																		
				IV.	Constitutional diseases.....	8	6	14											1			1	
				V.	Developmental diseases .....	6	2	8	5														
				VI.	Local diseases .....	23	15	38	5	3	1								1	1	1		
				VII.	Violence .....	1	1	2															
				VIII.	Ill-defined or not specified causes.....	4	1	5	2	1	1												
April .....	48	57	105		Total .....	30	22	52	5	6	1	2							1	1	1		
				I.	Zymotic diseases .....	3	1	4	1														
				II.	Parasitic diseases .....																		
				III.	Dietic diseases.....																		
				IV.	Constitutional diseases.....	7	3	10											1				
				V.	Developmental diseases .....	3	1	4															
				VI.	Local diseases .....	12	14	26	2	4	1	2								1			
				VII.	Violence .....	3	1	4													1		
				VIII.	Ill-defined or not specified causes.....	2	2	4	2	2													
May .....	38	46	84		Total .....	34	25	59	6	4									1		5		
				I.	Zymotic diseases .....	5		5	1												3		
				II.	Parasitic diseases .....																		
				III.	Dietic diseases.....		1	1															
				IV.	Constitutional diseases.....	9	4	13	1												1		
				V.	Developmental diseases .....	2	2	4	1														
				VI.	Local diseases .....	14	15	29	1	1											1		
				VII.	Violence .....	2		2											1				
				VIII.	Ill-defined or not specified causes.....	2	3	5	2	3													
June .....	42	43	85		Total .....	35	21	56	4	1		3			1			1	2	1	1		
				I.	Zymotic diseases .....	3		3															
				II.	Parasitic diseases .....	1	1	2															
				III.	Dietic diseases.....																		
				IV.	Constitutional diseases.....	6	5	11								1			1				
				V.	Developmental diseases .....	4	2	6															
				VI.	Local diseases .....	18	11	29	3			2						1	1	1	1		
				VII.	Violence .....	2		2															
				VIII.	Ill-defined or not specified causes.....	1	2	3	1	1		1											



## Deaths.

## Ages at Death.

Months.	Births.			Class.	Causes of Death.	Deaths.															
						Ages at Death.															
	M.	F.	Total			Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—
			M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
July .....	38	37	75		Total .....	42	17	59	7	2											
				I.	Zymotic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				II.	Parasitic diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases .....	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases.....	14	3	17	—	—	—	—	—	—	—	—	—	—	—		
				V.	Developmental diseases .....	4	6	10	1	1	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases .....	21	6	27	4	—	—	—	—	—	—	—	—	—	—		
				VII.	Violence .....	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes .....	2	1	3	2	1	—	—	—	—	—	—	—	—	—		
August.....	35	52	87		Total .....	34	29	63	2	5	1	—	1	1	—	—	1	—	1		
				I.	Zymotic diseases.....	5	4	9	—	—	—	—	—	—	—	—	1	—	1		
				II.	Parasitic diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases.....	5	4	9	—	—	—	—	—	—	—	—	—	1	—		
				V.	Developmental diseases .....	2	3	5	1	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases .....	19	15	34	1	4	1	—	1	1	—	—	—	—	1		
				VII.	Violence.....	3	2	5	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes .....	—	1	1	—	1	—	—	—	—	—	—	—	—	—		
September..	33	45	78		Total .....	38	32	70	2	2	—	—	—	1	—	1	—	—	2		
				I.	Zymotic diseases.....	4	1	5	—	—	—	—	—	—	1	—	—	—	—		
				II.	Parasitic diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases.....	9	8	17	—	—	—	—	—	1	—	—	—	—	—		
				V.	Developmental diseases .....	—	3	3	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases .....	21	18	39	1	2	—	—	—	—	—	—	—	—	2		
				VII.	Violence .....	4	2	6	1	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
October ...	57	40	97		Total .....	39	32	71	4	3	1	1	—	1	—	3	—	2	1		
				I.	Zymotic diseases.....	2	4	6	1	1	1	—	—	1	—	—	—	—	1		
				II.	Parasitic diseases .....	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases.....	8	10	18	—	—	—	—	—	—	—	1	—	1	—		
				V.	Developmental diseases .....	5	2	7	1	1	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases .....	22	13	35	1	—	1	—	—	1	—	2	—	1	—		
				VII.	Violence .....	1	1	2	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes.....	1	1	2	1	1	—	—	—	—	—	—	—	—	—		
November..	46	41	87		Total .....	37	26	63	7	8	1	1	—	1	—	2	1	—	2		
				I.	Zymotic diseases.....	1	3	4	1	1	—	1	—	—	—	—	1	—	—		
				II.	Parasitic diseases .....	—	1	1	—	—	—	—	—	—	—	—	—	—	1		
				III.	Dietic diseases .....	1	—	1	1	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases.....	7	4	11	—	—	—	—	—	—	—	—	—	—	—		
				V.	Developmental diseases .....	3	2	5	2	1	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases .....	20	13	33	2	3	1	—	1	—	—	—	—	—	1		
				VII.	Violence .....	4	—	4	—	—	—	—	—	—	—	2	—	—	—		
				VIII.	Ill-defined or not specified causes .....	1	3	4	1	3	—	—	—	—	—	—	—	—	—		
December..	34	26	60		Total .....	37	30	67	5	15	3	—	—	—	1	—	—	1	—		
				I.	Zymotic diseases.....	4	7	11	1	6	1	—	—	—	—	—	—	1	—		
				II.	Parasitic diseases .....	1	1	2	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases .....	1	—	1	1	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases.....	5	6	11	—	—	—	—	—	1	—	—	—	—	—		
				V.	Developmental diseases .....	7	2	9	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases .....	17	9	26	3	4	2	—	—	—	—	—	—	—	—		
				VII.	Violence .....	2	—	2	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes .....	—	5	5	—	5	—	—	—	—	—	—	—	—	—		





No. 22.—RETURN of Births and Deaths (inclusive of all those in Public Institutions) Registered in the City of Adelaide in the Years 1895-1900.

Years .....	1895.	1896.	1897.	1898.	1899.	1900.										
Population, Mean .....	38,326	38,440	38,554	38,668	38,782	38,896										
Births .....	1,091	1,066	1,092	986	1,093	Total, 1,022—Males, 504 ; females, 518.										
Rate per 1,000 of population	28.47	27.73	28.32	25.50	28.18	26.28										
Deaths—						All Ages.			Under 1 Year.	1 and under 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.	Not stated
						Total.	M.	F.								
All causes .....	885	880	863	1,040	944	795	456	339	135	38	74	148	154	203	43	—
Rate per 1,000 of population	23.09	22.89	22.38	26.90	24.34	20.44	—	—	—	—	—	—	—	—	—	—
Diseases—																
I. Specific Febrile or Zymotic .....	105	114	73	150	148	74	36	38	18	12	14	22	4	4	—	—
II. Parasitic .....	5	4	7	5	4	7	2	5	1	—	2	1	1	2	—	—
III. Dietic .....	18	10	7	10	4	4	2	2	2	—	—	2	—	—	—	—
IV. Constitutional .....	211	191	178	177	195	167	98	69	2	5	17	60	47	35	1	—
V. Developmental ....	81	83	111	122	98	72	43	29	17	—	—	1	—	30	24	—
VI. Local .....	397	365	386	423	411	373	219	154	53	17	31	52	87	118	15	—
VII. Violence .....	26	50	51	63	35	56	40	16	4	1	10	9	15	14	3	—
VIII. Ill-defined and not specified causes ..	42	63	50	90	49	42	16	26	38	3	—	1	—	—	—	—

Causes of Deaths Registered in the Year ended December 31st, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Scrofula, tuberculosis .....	—	12	Accidents of childbirth ....	—	5
Measles .....	—	2	Other constitutional diseases.	1	9	Diseases of locomotive system	1	7
Scarlet fever .....	—	—				Diseases of integumentary system .....	1	2
Relapsing fever .....	—	—	V.					
Influenza .....	1	4	Premature birth .....	15	—	VII.		
Whooping-cough .....	1	1	Cyanosis .....	—	—	(Accident.)		
Diphtheria .....	1	11	Congenital defects .....	2	1	Fracture and contusion ....	—	15
Simple and ill defined fever..	—	—	Old age .....	—	54	Gunshot wound .....	—	—
Enteric fever .....	—	13				Burn and scald.....	—	7
Simple cholera .....	—	—	VI.			Poison .....	—	1
Diarrhoea, dysentery.....	14	7	Apoplexy .....	—	29	Drowning .....	—	7
Remittent fever .....	—	—	Epilepsy .....	—	1	Suffocation .....	1	—
Venereal affections .....	1	3	Convulsions .....	9	1	Otherwise .....	3	9
Erysipelas .....	—	1	Other diseases of brain and nervous system.....	6	34	(Homicide.)		
Pyæmia, septicæmia .....	—	7	Diseases of organs of special sense .....	—	—	Murder and manslaughter ..	—	1
Puerperal fever .....	—	3	Diseases of circulatory system	1	93	Hanging (Execution).....	—	1
Other zymotic diseases .....	—	4	Croup.....	—	—	(Suicide.)		
II.			Bronchitis .....	7	14	Gunshot wound .....	—	2
Thrush .....	1	—	Pneumonia .....	6	31	Cut, stab .....	—	3
Worms and other parasitical diseases .....	—	6	Pleurisy .....	—	6	Poison .....	—	3
III.			Other diseases of respiratory system .....	—	2	Drowning .....	—	1
Privation, want of breast milk	2	—	Dentition .....	2	1	Hanging .....	—	1
Alcoholism .....	—	2	Quinsy, sore throat .....	—	—	Otherwise.....	—	1
IV.			Enteritis .....	15	6	VIII.		
Rheumatic fever and rheumatism of heart .....	—	—	Peritonitis .....	—	9	Dropsy .....	—	—
Rheumatism .....	—	1	Diseases of liver .....	1	18	Debility, atrophy, inanition.	36	3
Gout .....	—	1	Other diseases of digestive system .....	4	20	Mortification.....	1	—
Cancer, malignant disease ..	—	56	Diseases of lymphatic system and of ductless glands....	—	2	Tumor .....	—	—
Tabes mesenterica .....	—	—	Diseases of urinary system..	—	35	Abscess .....	—	—
Tubercular meningitis .....	1	6	Diseases of generative system	—	4	Hæmorrhage .....	—	1
Phthisis .....	—	80				Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes .....	1	—

**No. 23.**—RETURN of Births and Deaths Registered in each Ward of the City of Adelaide (exclusive of Deaths in Public Institutions\* of persons not usually resident in the city) in the Year ended December 31st, 1900.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell
Area in acres.....	3,632	573	659	552	718	480	650
Estimated mean population.....	38,896	5,924	6,347	8,280	9,743	3,699	4,993
Persons to an acre .....	10·7	10·3	9·6	15·0	13·6	7·7	7·5
Births .....	1,022	140	142	239	301	91	109
Male .....	504	55	83	117	150	45	54
Female .....	518	85	59	122	151	46	55
Deaths .....	612	128	93	127	137	37	90
Male .....	328	84	52	61	71	12	48
Female .....	284	44	41	66	66	25	42
CLASSES.							
I. Specific febrile or zymotic diseases .....	54	8	8	10	11	4	13
II. Parasitic diseases .....	4	—	—	3	1	—	—
III. Dietic diseases .....	4	—	—	3	1	—	—
IV. Constitutional diseases .....	128	28	15	25	28	5	27
V. Developmental diseases .....	65	26	9	13	10	2	5
VI. Local diseases .....	281	56	43	57	65	21	39
VII. Violence .....	36	8	11	2	8	4	3
VIII. Ill-defined and not specified causes .....	40	2	7	14	13	1	3
Rate per 1,000 of mean population of each ward .....	15·73	21·61	14·65	15·34	14·06	10·00	18·36

\* The Destitute Asylum (including the Lying-in Department), the Adelaide Hospital, and the Adelaide Lunatic Asylum.

Causes of Deaths Registered in the Year ended December 31st, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Other constitutional diseases.	1	5	Diseases of locomotive system .....	1	4
Measles .....	—	2				Diseases of integumentary system .....	1	2
Scarlet fever .....	—	—	V.					
Relapsing fever .....	—	—	Premature birth .....	15	—			
Influenza .....	1	2	Cyanosis .....	—	—	VII.		
Whooping-cough .....	1	1	Congenital defects .....	2	—	(Accident.)		
Diphtheria .....	1	10	Old age .....	—	48	Fracture and contusion ....	—	5
Simple and ill-defined fever..	—	—				Gunshot wound .....	—	—
Enteric fever .....	—	5	VI.			Cut, stab .....	—	—
Simple cholera .....	—	—	Apoplexy .....	—	21	Burn and scald.....	—	4
Diarrhoea, dysentery.....	14	7	Epilepsy .....	—	1	Poison .....	—	1
Remittent fever .....	—	—	Convulsions .....	9	1	Drowning .....	—	7
Venereal affections .....	1	2	Other diseases of brain and nervous system .....	6	24	Suffocation .....	1	—
Erysipelas .....	—	1	Diseases of organs of special sense.....	—	—	Otherwise .....	3	7
Pyæmia and septicæmia ....	—	4	Diseases of circulatory system .....	1	71	(Homicide.)		
Puerperal fever .....	—	1	Croup.....	—	—	Murder and manslaughter ..	—	—
Other zymotic diseases .....	—	1	Bronchitis.....	7	13	(Execution.)		
			Pneumonia .....	6	16	Hanging .....	—	1
II.			Pleurisy .....	—	6	(Suicide.)		
Thrush .....	1	—	Other diseases of respiratory system .....	—	2	Gunshot wound .....	—	2
Worms and other parasitical diseases .....	—	3	Dentition .....	2	1	Cut, Stab .....	—	2
			Quinsy, sore throat .....	—	—	Poison .....	—	1
III.			Enteritis .....	15	5	Drowning .....	—	1
Privation—want of breast milk	2	—	Peritonitis.....	—	7	Hanging .....	—	1
Alcoholism .....	—	2	Diseases of liver .....	1	11	Otherwise .....	—	—
			Other diseases of digestive system.....	4	13	VIII.		
IV.			Diseases of lymphatic system and of ductless glands ..	—	—	Dropsy .....	—	—
Rheumatic fever and rheumatism of heart .....	—	—	Diseases of urinary system..	—	23	Debility, atrophy, inanition.	35	3
Rheumatism .....	—	1	Diseases of generative system .....	—	2	Mortification .....	1	—
Gout .....	—	1	Accidents of childbirth ....	—	5	Tumor .....	—	—
Cancer, Malignant Disease ..	—	40				Abscess .....	—	—
Tabes Mesenterica.....	—	—				Hæmorrhage.....	—	—
Tubercular Meningitis .....	1	6				Sudden, cause unascertained.	—	—
Phthisis .....	—	65				Other ill-defined and not specified causes .....	1	—
Scrofula, Tuberculosis .....	—	8						

No. 24.—RETURN of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in the Years 1895-1900.

Years .....	1895.	1896.	1897.	1898.	1899.	1900.											
*Population, Mean .....	343,264	344,662	344,093	346,532	351,231	353,895											
Births .....	10,537	10,012	9,535	8,945	9,397	Total, 9,143—Males, 4,641 ; females, 4,502.											
Rate per 1,000 of population	30.70	29.05	27.71	25.81	26.75	25.84											
<i>Deaths--</i>																	
All causes.....	3,921	4,038	3,973	4,675	4,406	All Ages.			Under 1 Year	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up-wards	Not state d	
						Total.	M.	F.									
						3,774	1,994	1,780	911	243	307	563	626	843	279	2	
Rate per 1,000 of population	11.42	11.72	11.55	13.49	12.54	10.65	—	—	—	—	—	—	—	—	—	—	
DISEASES.																	
I. Specific Febrile or Zymotic .....	530	554	463	772	777	423	210	213	183	66	51	65	27	25	6	—	
II. Parasitic .....	16	14	17	7	12	14	6	8	3	—	2	3	4	2	—	—	
III. Dietic .....	29	26	33	42	23	18	12	6	9	—	—	2	6	1	—	—	
IV. Constitutional .....	702	698	665	663	683	662	334	328	22	26	73	212	175	142	11	1	
V. Developmental.....	446	441	454	541	482	413	212	201	137	3	1	1	—	108	163	—	
VI. Local.....	1,708	1,772	1,836	2,006	1,898	1,796	938	858	361	123	128	224	352	522	86	—	
VII. Violence .....	230	260	253	318	288	240	177	63	26	15	48	52	51	39	8	1	
VIII. Ill-defined and not specified causes ..	260	273	252	326	243	208	105	103	170	10	4	4	11	4	5	—	

\* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese) and also of the number of the aborigines.

No. 25.—RETURN showing the Births and Deaths Registered in the Corporate Towns specified in the Year 1900.

Corporate Towns.	Estimated Mean Population.	Registered during Year.			The Deaths Registered in the Year include Deaths from—										Birth and Death Rates per 1,000 living.	
		Births.	Deaths.		Measles	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhea and Dysentery.	Diseases of Respiratory System.	Phthisis.	Diseases of Circulatory System.	Births.	Deaths.	
			Total	Under One Year.												
Adelaide .....	38,896	1,022	795	135	2	—	12	2	13	21	66	80	94	26.28	20.44	
Hindmarsh .....	9,838	294	103	36	—	—	2	4	—	7	8	8	7	29.88	10.47	
Thebarton .....	5,187	150	57	18	—	—	1	—	—	3	4	6	7	28.92	10.99	
Port Adelaide .....	19,843	621	267	100	—	—	—	3	1	16	33	29	26	31.30	13.46	
Glenelg .....	3,924	70	25	2	—	—	1	—	—	1	2	—	3	17.84	6.37	
Brighton .....	1,046	22	11	3	—	—	—	—	—	—	2	1	3	21.03	10.51	
Unley .....	17,617	443	179	41	—	—	2	3	2	10	15	19	21	25.15	10.16	
St. Peters .....	7,465	169	72	25	—	—	—	1	—	4	9	9	9	22.64	9.65	
Kensington and Norwood....	12,501	323	118	33	—	—	—	1	—	3	7	12	12	25.84	9.44	
Gawler .....	2,005	60	33	12	—	—	—	—	1	3	5	2	1	29.93	16.46	
Kapunda .....	1,815	65	18	4	—	—	—	—	—	—	2	—	2	35.81	9.92	
Burra .....	2,008	88	36	6	—	—	—	—	1	2	6	—	4	43.82	17.93	
Clare .....	799	20	15	3	—	—	—	—	—	1	—	—	5	25.03	18.77	
Jamestown .....	977	44	21	3	—	—	—	—	4	—	6	—	3	45.04	21.49	
Port Augusta .....	1,021	36	8	2	—	—	—	—	—	—	3	—	—	35.26	7.84	
Port Pirie .....	7,649	276	124	60	—	—	—	—	5	21	12	6	8	36.08	16.21	
Kadina .....	1,715	83	31	12	—	—	—	—	—	—	4	3	2	48.40	18.08	
Moonta .....	1,598	57	24	7	—	1	—	—	—	2	4	2	3	35.67	15.02	
Wallaroo .....	2,817	94	47	17	—	—	—	1	2	4	3	2	3	33.37	16.68	
Goolwa .....	589	24	6	—	—	—	—	—	—	—	1	1	1	40.75	10.19	
Strathalbyn .....	868	31	14	1	—	—	1	—	—	1	2	—	1	35.71	16.13	
Mount Gambier .....	3,128	118	53	13	—	—	—	—	1	3	3	5	6	37.72	16.94	
Petersburg .....	2,076	90	30	7	—	—	—	—	3	3	9	—	2	43.35	14.45	



No. 26.—COMPARATIVE RETURN showing Number of Deaths Registered in South Australia (exclusive of the Northern Territory) from each Cause in 1900, arranged in Order of Fatality, and each corresponding Number in 1899.

Order of Fatality.	Causes of Death.	1900.			1899.	Order of Fatality.	Causes of Death.	1900.			1899.
		Total.	Under 5 years.	5 years and above.				Total.	Under 5 years.	5 years and above.	
1	Diseases of circulatory system not separately classed.....	335	18	317	301	41	Tabes mesenterica .....	7	7	—	17
2	Phthisis .....	299	4	295	312		Congenital defects not separately classed.....	7	5	2	16
3	Old age .....	271	—	271	331		Erysipelas .....	7	4	3	9
4	Cancer, malignant disease .....	210	4	206	203		Chronic alcoholism .....	7	—	7	8
5	Diarrhoea, dysentery .....	205	176	29	192		Cut, stab (suicidal) .....	7	—	7	7
6	Pneumonia .....	191	72	119	210		Diseases of organs of locomotion not separately classed.....	7	3	4	6
7	Debility, atrophy, inanition .....	173	169	4	221		Gunshot wounds (suicidal) .....	7	—	7	4
8	Bronchitis .....	157	59	98	163		Syphilis .....	7	6	1	4
9	Enteritis .....	151	134	17	155		Simple cholera .....	7	7	—	2
10	Premature birth .....	112	112	—	113		Intussusception of intestine.....	7	6	1	2
11	Apoplexy .....	110	1	109	92		Croup .....	6	5	1	9
12	Fracture and contusion (accidental) ..	81	4	77	77		Caries, necrosis .....	6	—	6	6
13	Bright's disease .....	66	1	65	74		Abortion, miscarriage.....	6	—	6	2
14	Inflammation of the brain or its membranes .....	63	35	28	75		Scarlet fever .....	5	1	4	16
15	Convulsions (except puerperal) .....	60	59	1	100		Diseases of uterus and vagina.....	5	—	5	9
16	Enteric fever .....	57	4	53	111		Hanging (suicidal) .....	5	—	5	8
17	Tubercular diseases not separately classed.....	49	10	39	50		Drowning (suicidal) .....	5	—	5	7
18	Influenza .....	46	5	41	218		Rheumatism (except of heart and rheumatic fever).....	5	—	5	4
19	Insanity, general paralysis of insane ..	46	—	46	41		Dropsy undefined or ill-defined.....	5	—	5	2
20	Endocarditis, valvular disease of heart ..	35	1	34	46		Laryngitis .....	4	—	4	11
21	Drowning (accidental) .....	34	3	31	64		Diseases of lymphatic system .....	4	1	3	5
22	Diphtheria .....	32	16	16	40		Ovarian disease.....	4	—	4	4
23	Dentition .....	30	30	—	34		Arthritis, ostitis, periostitis .....	4	1	3	4
24	Diseases of liver (except cirrhosis and gallstones) .....	30	8	22	31		Senile gangrene.....	4	—	4	4
25	Whooping cough .....	29	27	2	106		Pericarditis .....	4	—	4	2
26	Peritonitis .....	29	3	26	33		Abscess undefined or ill-defined .....	4	2	2	—
27	Sunstroke, heat-apoplexy, heat .....	28	11	17	45		Hæmatemesis .....	4	—	4	—
28	Tubercular meningitis .....	28	15	13	33		Idiopathic tetanus .....	3	3	—	5
29	Diseases of the nervous system not separately classed.....	28	4	24	32		Cleft palate, harelip .....	3	3	—	4
30	Burn, scald (accidental) .....	26	7	19	31		Paralysis agitans .....	3	—	3	4
31	Disease of stomach .....	25	12	13	15		Dyspepsia .....	3	2	1	3
32	Acute nephritis .....	22	2	20	25		Constitutional diseases not separately classed.....	3	—	3	3
33	Ill-defined and unspecified causes not separately classed.....	22	8	14	18		Stomatitis .....	3	—	3	3
34	Cirrhosis of liver .....	21	—	21	22		Thrush .....	3	3	—	3
35	Rheumatic fever, rheumatism of heart ..	21	1	20	16		Imperforate anus.....	3	3	—	2
36	Paralysis not separately classed.....	20	1	19	22		Gunshot wounds (accidental) .....	3	—	3	2
37	Anæmia, chlorosis, leucocythæmia ...	20	5	15	14		Hæmorrhage undefined or ill-defined ..	3	1	2	2
38	Diseases of urinary system not separately classed.....	19	—	19	20		Gonorrhœa, stricture of urethra.....	3	—	3	2
39	Diseases of bladder and prostate .....	19	1	18	16		Eczema .....	3	1	2	—
40	Epilepsy .....	19	1	18	16		Miasmatic diseases not separately classed.....	3	—	3	—
41	Ileus, obstruction of intestine .....	18	4	14	17		Measles .....	2	2	—	27
42	Diseases of respiratory system not separately classed.....	17	3	14	25		Sore throat, quinsy.....	2	—	2	6
43	Diabetes mellitus .....	16	—	16	24		Spina bifida .....	2	2	—	4
44	Embolism, thrombosis .....	16	—	16	19		Cyanosis .....	2	2	—	4
45	Syncope .....	16	6	10	17		Purpura, hæmorrhagic diathesis .....	2	2	—	4
46	Pleurisy .....	16	2	14	17		Ascites .....	2	—	2	3
47	Paraplegia, disease of spinal cord .....	15	—	15	18		Addison's disease .....	2	—	2	2
48	Accidents of childbirth not separately classed.....	15	—	15	11		Pelvic abscess .....	2	—	2	2
49	Hernia .....	13	—	13	14		Gout .....	2	—	2	1
50	Atelectasis .....	13	13	—	8		Suppression of urine .....	2	—	2	—
51	Suffocation (accidental) .....	13	6	7	6		Murder, manslaughter .....	1	—	1	7
52	Placenta prævia, flooding .....	12	—	12	5		Urinary calculus .....	1	—	1	7
53	Aneurism .....	11	—	11	8		Phlegmon, cellulitis .....	1	1	—	6
54	Emphysema, asthma .....	10	1	9	31		Diseases of integumentary system not separately classed.....	1	—	1	5
55	Hemiplegia, brain paralysis.....	10	—	10	19		Bronchocele .....	1	—	1	3
56	Puerperal fever .....	10	—	10	18		Ulceration of intestine .....	1	—	1	3
57	Starvation, want of breast milk .....	10	9	1	15		Puerperal convulsions .....	1	—	1	3
58	Hydatid disease .....	10	—	10	8		Cut, stab (accidental) .....	1	—	1	2
59	Poisoning (accidental) ..	10	2	8	8		Suicides not separately classed .....	1	—	1	1
60	Uraemia .....	10	—	10	6		Epistaxis and disease of nose .....	1	—	1	1
61	Angina pectoris .....	10	—	10	5		Puerperal mania .....	1	—	1	1
62	Pyæmia, septicæmia .....	9	1	8	25		Malarial diseases not separately classed.....	1	—	1	1
63	Diseases of digestive system not separately classed.....	9	2	7	16		Diseases of vegetable parasites (except thrush) .....	1	—	1	1
64	Accidents not separately classed.....	9	8	1	10		Malaena .....	1	1	—	1
65	Softening of brain .....	9	—	9	10		Phlebitis .....	1	—	1	1
66	Gallstones .....	9	—	9	3		Hanging (execution) .....	1	—	1	—
67	Poisoning (suicidal) .....	8	—	8	7		Ulcer, bed sore .....	1	—	1	—
							Diseases of testes, penis, scrotum, &c. ..	1	—	1	—
							Fistula .....	1	—	1	—
							Hypertrophy of heart.....	1	—	1	—
							Delirium tremens.....	1	—	1	—
							Tumor undefined or ill-defined .....	1	—	1	—

No. 27.—DECENNIAL RETURN showing the Total Deaths in each Class and Order Registered in South Australia (exclusive of the Northern Territory).

	1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL CAUSES .....	2,252	1,959	2,039	1,672	2,467	2,053	2,184	1,817	2,165	1,756	2,121	1,917	2,192	1,781	2,584	2,091	2,362	2,044	1,994	1,780
I.—SPECIFIC FEBRILE OR ZYMOTIC DISEASES .....	359	350	277	236	448	478	307	298	262	268	261	293	236	227	389	383	379	398	210	213
II.—PARASITIC DISEASES .....	5	14	13	4	9	11	7	6	7	9	9	5	11	6	4	3	6	6	6	8
III.—DIETIC DISEASES .....	23	18	12	13	24	15	19	13	18	11	15	11	25	8	25	17	20	3	12	6
IV.—CONSTITUTIONAL DISEASES .....	369	311	326	301	370	320	374	326	354	348	353	345	367	298	348	315	348	335	334	328
V.—DEVELOPMENTAL DISEASES .....	252	228	206	185	249	230	231	197	248	198	228	213	269	185	295	246	249	233	212	201
VI.—LOCAL DISEASES .....	917	852	887	738	1,014	806	954	811	946	762	921	851	965	871	1,119	887	1,023	875	938	858
VII.—VIOLENCE .....	158	49	154	43	185	51	164	62	189	41	190	70	179	74	220	98	200	88	177	63
VIII.—ILL-DEFINED AND NOT SPECIFIED CAUSES .....	169	137	164	152	168	142	128	104	141	119	144	129	140	112	184	142	137	106	105	103
I.																				
1. Miasmatic Diseases .....	230	243	145	106	295	314	196	161	138	143	100	95	89	85	204	203	259	264	82	92
2. Diarrhoeal Diseases .....	112	79	118	103	132	130	99	108	105	93	134	120	131	112	163	139	99	95	112	100
3. Malarial Diseases .....	—	1	2	—	1	—	1	—	—	1	1	—	—	1	2	—	1	—	1	—
4. Zoogenous Diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Venereal Diseases .....	8	3	3	3	7	4	4	3	5	—	3	2	3	3	4	2	3	3	7	3
6. Septic Diseases .....	9	24	9	24	13	30	7	26	14	31	23	76	13	26	16	39	17	36	8	18
II.																				
Parasitic Diseases .....	5	14	13	4	9	11	7	6	7	9	9	5	11	6	4	3	6	6	6	8
III.																				
Dietic Diseases .....	23	18	12	13	24	15	19	13	18	11	15	11	25	8	25	17	20	3	12	6
IV.																				
Constitutional Diseases .....	369	311	326	301	370	320	374	326	354	348	353	345	367	298	348	315	348	335	334	328
V.																				
Developmental Diseases .....	252	228	206	185	249	230	231	197	248	198	228	213	269	185	295	246	249	233	212	201
VI.																				
1. Diseases of Nervous System .....	240	174	218	193	262	186	251	175	244	184	223	206	216	203	234	182	233	203	205	181
2. Organs of Special Sense .....	3	1	2	2	3	—	5	4	3	5	8	2	7	3	—	1	1	1	1	—
3. Circulatory System .....	147	154	169	124	185	146	182	159	165	174	166	160	217	189	235	192	216	187	221	212
4. Respiratory System .....	301	250	229	175	289	224	250	213	242	137	233	182	225	167	269	189	262	207	224	177
5. Digestive System .....	149	148	182	155	178	144	168	164	174	167	191	195	200	196	238	191	199	162	177	182
6. Lymphatic System and Ductless Glands .....	5	2	3	—	5	2	1	7	2	8	5	3	2	4	6	10	4	7	4	3
7. Urinary System .....	58	44	72	30	74	39	81	36	97	35	84	47	79	51	109	59	91	57	96	43
8. Reproductive System—																				
(a) Diseases of Organs of Generation .....	—	14	2	15	—	15	1	12	2	17	2	11	1	16	1	16	—	15	1	11
(b) Diseases of Parturition .....	—	46	—	32	—	37	—	28	—	27	—	30	—	28	—	29	—	22	—	35
9. Organs of Locomotion .....	6	11	6	8	13	7	9	7	7	8	8	7	16	7	16	11	6	10	4	13
10. Integumentary System .....	8	2	4	4	5	6	6	6	11	2	4	2	7	3	8	8	11	4	5	1
VII.																				
1. Accident or Negligence .....	131	42	128	39	148	36	135	53	164	36	160	61	136	62	182	88	175	72	150	55
2. Homicide .....	2	1	2	1	5	6	2	1	4	3	6	2	2	2	5	3	4	—	—	1
3. Suicide .....	25	6	24	3	32	9	26	8	21	2	24	7	40	10	36	5	22	12	26	7
4. Execution .....	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—
VIII.																				
Ill-defined and not specified causes .....	16	137	164	152	168	142	128	104	141	119	144	129	140	112	184	142	137	106	105	103



No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

CLASS.	Cause of Death.	1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I.	<i>Miasmatic Diseases.</i>																				
	Smallpox .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Chicken-pox .....	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Measles .....	—	—	—	—	130	131	15	13	1	1	—	—	—	—	25	29	8	19	1	1
	Epidemic Rose Rash .....	—	—	—	—	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—
	Scarlet Fever .....	—	4	1	1	4	1	19	16	5	5	2	2	3	4	11	4	6	10	1	4
	Influenza .....	88	84	27	13	22	27	32	21	58	57	31	28	19	18	12	21	114	104	22	24
	Whooping Cough .....	21	21	5	7	58	63	35	25	20	24	3	14	—	—	57	55	52	54	11	18
	Mumps .....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria .....	74	99	54	52	43	57	47	50	15	22	11	10	8	14	15	23	20	20	12	20
	Cerebro-spinal Fever .....	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and ill-defined Fever .....	3	4	5	—	1	4	2	2	1	—	1	—	—	2	5	2	1	2	—	—
	Enteric Fever .....	43	30	52	31	33	29	46	34	37	34	52	41	59	47	77	68	57	54	32	25
	Other Miasmatic Diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
	<i>Diarrhoeal Diseases.</i>																				
	Simple Cholera .....	7	2	7	5	8	5	2	4	4	2	5	5	5	5	2	6	2	—	3	4
	Diarrhoea, Dysentery .....	105	77	111	98	124	125	97	104	101	91	129	115	126	107	161	133	97	95	109	96
	<i>Malarial Diseases.</i>																				
	Remittent Fever .....	—	—	2	—	1	—	1	—	—	1	1	—	—	1	—	—	—	—	—	—
	Ague, Intermittent Fever .....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Other Malarial Diseases .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
	<i>Zoogenous Diseases.</i>																				
	Glanders .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																				
	Syphilis .....	6	3	2	3	4	4	3	3	3	—	2	2	1	3	4	2	1	3	4	3
	Gonorrhoea, Stricture of Urethra ..	2	—	1	—	3	—	1	—	2	—	1	—	2	—	—	—	2	—	3	—
	<i>Septic Diseases.</i>																				
	Phagedæna .....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Erysipelas .....	4	1	5	5	7	6	4	6	8	5	15	14	9	7	9	4	4	5	2	5
	Pyæmia, Septicæmia .....	5	7	4	5	6	5	3	6	6	5	8	14	4	8	7	4	13	12	6	3
	Puerperal Fever .....	—	15	—	14	—	19	—	14	—	21	—	48	—	11	—	31	—	18	—	10
II.	<i>Parasitic Diseases.</i>																				
	Thrush .....	2	4	2	3	5	4	2	—	1	—	3	1	2	3	—	—	—	3	—	3
	Other Diseases from Vegetable Parasites .....	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—
	Hydatid Disease .....	3	9	11	1	4	7	5	6	6	9	6	4	8	3	4	3	5	3	6	4
	Other Diseases from Animal Parasites ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	<i>Dietic Diseases.</i>																				
	Starvation, Want of Breast Milk ..	10	9	5	9	15	13	14	10	11	9	8	7	15	7	19	13	13	2	7	3
	Scurvy .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcoholism ..	12	9	6	4	7	2	3	3	7	2	6	4	5	1	4	4	7	1	4	3
	{ Delirium Tremens ..	1	—	1	—	2	—	2	—	—	—	1	—	5	—	2	—	—	—	1	—
IV.	<i>Constitutional Diseases.</i>																				
	Rheumatic Fever, Rheumatism of Heart .....	8	9	6	8	8	8	7	8	7	5	13	8	7	8	12	6	10	8	13	13
	Rheumatism .....	6	6	1	6	1	3	7	4	5	4	3	6	4	5	4	1	3	3	2	2
	Gout .....	6	3	6	2	5	1	6	1	5	4	—	—	6	—	3	—	—	—	—	—
	Cancer, Malignant Disease .....	86	70	87	61	88	83	83	79	86	80	98	88	107	78	95	89	104	99	103	107
	Tabes Mesenterica .....	14	12	12	14	8	5	10	6	9	2	3	6	9	5	4	7	9	8	5	2
	Tubercular Meningitis (Acute Hydrocephalus) .....	34	20	17	22	35	15	28	15	20	25	18	21	28	21	20	14	16	17	18	10
	Phthisis .....	178	151	157	150	178	162	188	168	166	169	153	155	165	143	179	138	169	143	147	152
	Other forms of Tuberculosis, Scrofula ..	21	19	25	16	29	28	23	23	31	29	38	27	21	18	15	24	22	28	26	23
	Anæmia, Chlorosis, Leucocythæmia ..	3	9	2	13	5	5	11	8	7	9	11	5	5	4	10	3	11	11	14	6
	Diabetes Mellitus .....	8	6	11	6	10	4	11	8	14	12	18	15	8	13	13	13	14	10	5	11
	Other Constitutional Diseases .....	5	6	2	3	3	6	5	4	2	9	1	6	4	4	2	4	3	6	3	2
V.	<i>Developmental Diseases.</i>																				
	Premature Birth .....	68	39	48	36	69	58	71	37	57	41	53	44	57	39	63	43	64	49	58	54
	Atelectasis .....	3	1	1	2	3	3	8	4	4	4	5	2	5	5	7	4	7	1	4	9
	Cyanosis .....	6	—	3	—	2	1	3	2	2	3	—	—	—	—	2	2	3	1	—	—
	Spina Bifida .....	1	4	3	1	2	2	—	3	2	1	2	5	2	—	3	2	1	3	2	—
	Imperforate Anus .....	1	1	1	—	2	—	—	1	1	1	2	1	2	—	3	1	—	—	3	—
	Cleft Palate, Harelip .....	—	1	1	—	1	1	—	—	1	1	1	—	—	2	—	2	3	1	2	1
	Other Congenital Defects .....	8	7	6	5	10	7	11	6	11	14	5	4	5	1	5	3	11	5	3	4
	Old Age .....	165	175	143	141	160	158	138	144	170	133	160	157	197	138	212	189	158	173	138	133
VI.	<i>Diseases of Nervous System.</i>																				
	Inflammation of Brain or its Membranes .....	19	22	36	25	41	27	41	27	36	29	32	30	38	35	40	31	38	37	29	34
	Apoplexy .....	56	45	38	47	41	38	48	52	45	40	50	56	41	54	45	42	45	47	50	60
	Softening of Brain .....	8	3	4	6	4	5	3	3	7	1	5	4	3	6	2	4	4	6	8	1



No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued*.

CLASS.	Cause of Death.	1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
<i>Diseases of Nervous System—contd.</i>																					
Hemiplegia, Brain Paralysis .....	8	8	4	3	5	7	6	8	5	8	7	4	9	7	6	6	11	8	4	6	
Insanity, General Paralysis of Insane	38	22	30	15	29	13	29	15	37	14	31	12	16	21	24	15	20	21	28	18	
Chorea .....	—	—	—	3	—	3	—	1	—	—	—	2	—	—	—	—	—	—	—	—	
Epilepsy .....	6	6	10	13	15	9	13	10	11	7	3	6	8	5	9	8	10	6	12	7	
Convulsions .....	49	45	54	59	78	55	63	32	59	45	51	51	59	46	56	50	61	39	30	30	
Laryngismus Stridulus .....	1	—	2	—	1	—	2	1	—	—	1	1	1	—	2	—	1	1	—	—	
Idiopathic Tetanus .....	—	—	1	—	2	2	3	2	4	6	1	3	3	—	9	2	5	—	2	—	
Paraplegia, Disease of Spinal Cord	12	2	12	3	3	1	10	4	15	3	4	8	6	6	14	3	12	6	9	6	
Other Diseases of Nervous System..	43	21	27	19	43	26	33	20	25	31	38	29	32	23	27	23	26	32	33	18	
<i>Diseases of Organs of Special Sense.</i>																					
Otitis, Otorrhœa, and Disease of Ear	3	—	2	2	2	—	4	4	2	3	4	8	1	5	2	—	1	—	—	—	
Ophthalmia and Disease of Eye....	—	—	—	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	
Epistaxis and Disease of Nose ...	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	1	1	—	
<i>Diseases of Circulatory System.</i>																					
Endocarditis, Valvular Disease ....	32	21	19	11	22	21	25	25	24	17	11	11	22	20	15	25	27	19	12	23	
Pericarditis .....	1	2	1	2	2	1	2	—	—	1	1	1	4	4	—	1	1	—	2	2	
Hypertrophy of Heart .....	—	2	—	1	3	—	—	1	—	—	—	—	—	—	1	1	—	—	—	1	
Angina Pectoris .....	3	1	—	—	3	3	2	1	1	1	2	—	11	2	4	2	3	2	4	6	
Syncope .....	3	4	9	7	9	5	11	7	8	7	8	12	6	17	13	10	7	10	7	9	
Aneurism .....	6	—	10	2	7	1	7	2	6	2	9	1	7	—	8	—	7	1	10	1	
Senile Gangrene .....	2	—	1	—	3	1	2	3	2	1	1	2	—	—	2	—	2	2	1	3	
Embolism, Thrombosis .....	3	5	2	5	6	4	8	4	8	6	4	10	4	10	3	6	12	7	8	8	
Phlebitis .....	—	—	1	—	—	2	—	—	—	—	—	—	—	3	—	—	—	1	1	—	
Varicose Veins .....	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Circulatory System	97	119	126	96	130	108	125	116	116	138	130	123	163	133	189	148	157	144	176	159	
<i>Diseases of Respiratory System.</i>																					
Laryngitis.....	6	4	3	2	11	7	1	3	9	1	4	3	2	2	6	1	5	6	4	—	
Croup .....	26	24	22	11	23	7	10	6	13	3	2	2	7	5	10	4	7	2	5	1	
Other diseases of Larynx and Trachea	3	2	2	—	1	—	1	—	3	1	—	—	1	—	—	—	2	1	—	—	
Emphysema, Asthma .....	7	5	10	3	6	—	15	7	8	6	12	2	8	7	10	6	16	15	7	3	
Bronchitis .....	72	94	68	65	100	75	85	80	78	44	74	70	65	53	78	65	86	77	85	72	
Pneumonia .....	161	111	107	80	115	115	118	98	104	74	117	88	117	79	144	93	120	90	102	89	
Pleurisy .....	14	9	4	10	14	7	8	7	16	2	13	8	15	8	10	11	12	5	11	5	
Other Diseases of Respiratory System	12	7	13	4	19	13	12	12	11	6	11	9	10	13	11	9	14	11	10	7	
<i>Diseases of Digestive System.</i>																					
Stomatitis.....	1	1	—	2	4	—	2	—	1	1	1	1	1	—	1	3	2	1	1	2	
Dentition .....	24	19	33	25	38	35	23	19	25	22	23	29	24	24	37	13	19	15	15	15	
Sore Throat, Quinsy .....	3	—	3	2	2	1	5	3	4	1	2	4	1	1	4	2	3	3	1	1	
Dyspepsia .....	1	1	3	2	2	3	2	5	1	1	5	7	3	3	7	3	2	2	1	1	
Hæmatemesis .....	3	2	1	1	1	—	2	—	—	—	2	3	1	—	—	1	—	—	3	1	
Melæna .....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	
Disease of Stomach.....	15	13	13	13	6	11	13	10	13	16	10	16	17	8	6	12	10	5	11	14	
Enteritis .....	32	29	50	39	56	36	45	53	60	63	77	54	83	80	108	87	80	75	75	76	
Ulceration of Intestine .....	1	2	—	—	1	2	1	1	—	1	2	—	2	4	3	—	1	2	—	—	
Ileus, Obstruction of Intestine ....	10	10	12	7	7	8	8	12	5	11	13	12	13	15	13	13	11	6	7	11	
Stricture or Strangulation of Intestine	—	1	2	—	—	—	2	3	1	2	2	—	—	—	1	—	—	—	—	—	
Intussusception of Intestine .....	3	2	3	2	3	5	3	1	1	2	2	—	—	2	—	—	2	—	5	2	
Hernia .....	3	4	2	5	7	6	7	3	6	7	5	4	4	5	6	3	7	7	7	6	
Fistula .....	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Peritonitis.....	12	13	16	14	10	12	13	18	20	16	7	31	14	15	17	21	17	16	8	21	
Ascites .....	—	1	1	1	—	3	1	—	3	2	1	2	—	1	1	1	2	1	—	2	
Gallstones .....	—	2	4	1	1	3	2	5	—	1	1	3	3	4	—	5	1	2	3	6	
Cirrhosis of Liver .....	11	16	8	9	12	1	12	8	5	2	12	4	3	8	13	5	12	10	14	7	
Other Diseases of Liver .....	18	17	17	19	22	11	20	16	18	12	15	21	23	21	17	16	21	10	19	11	
Other Diseases of Digestive System	12	15	13	13	6	7	8	8	9	8	11	4	8	5	4	6	9	7	5	4	
<i>Diseases of Lymphatic System and Ductless Glands.</i>																					
Diseases of Lymphatic System ....	3	—	2	—	3	1	—	4	1	2	4	—	1	2	3	3	3	2	3	1	
Diseases of Spleen .....	—	—	1	—	—	—	—	1	—	—	—	1	1	—	—	3	1	—	—	—	
Bronchocele .....	—	1	—	—	1	—	—	1	—	—	—	2	—	1	1	4	—	—	—	—	
Addison's Disease .....	2	1	—	—	1	1	1	1	1	3	1	—	—	1	2	—	—	2	1	1	
<i>Diseases of Urinary System.</i>																					
Acute Nephritis .....	2	6	7	11	6	3	7	5	12	7	9	9	10	18	12	12	13	12	14	8	
Bright's Disease .....	31	25	29	10	34	28	45	23	51	22	38	24	30	25	48	36	41	33	39	27	
Uræmia .....	3	9	6	2	1	1	1	4	3	3	5	5	9	2	5	5	3	3	5	5	
Suppression of Urine .....	—	—	1	—	1	—	2	—	1	—	2	—	—	—	—	—	—	—	—	—	
Calculus .....	1	—	3	1	7	—	1	1	1	—	4	1	—	1	4	1	6	1	1	—	
Hæmaturia .....	2	1	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	
Diseases of Bladder and of Prostate	15	1	20	1	19	2	22	1	22	—	19	2	20	1	25	2	16	—	19	—	
Other Diseases of Urinary System..	4	2	5	5	6	5	2	2	6	3	7	6	10	4	12	3	12	8	16	3	

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

Class.	Cause of Death.	1891.		1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
<i>Diseases of Organs of Generation.</i>																						
Ovarian Disease .....		—	6	—	7	—	6	—	4	—	6	—	3	—	5	—	5	—	4	—	4	—
Diseases of Uterus and Vagina .....		—	7	—	7	—	9	—	7	—	11	—	4	—	10	—	11	—	9	—	5	—
Disorders of Menstruation .....		—	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
Pelvic Abscess .....		—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	2	—
Perineal Abscess .....		—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Diseases of testes, scrotum, &c. ....		—	—	2	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—
<i>Diseases of Parturition.</i>																						
Abortion, Miscarriage .....		—	6	—	3	—	4	—	2	—	2	—	4	—	1	—	2	—	2	—	6	—
Puerperal Mania .....		—	2	—	5	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	1	—
Puerperal Convulsions .....		—	9	—	4	—	3	—	6	—	—	—	2	—	6	—	3	—	3	—	1	—
Placenta Prævia, Flooding .....		—	8	—	3	—	10	—	6	—	4	—	7	—	7	—	11	—	5	—	12	—
Phlegmasia Dolens .....		—	1	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
Other Accidents of Childbirth .....		—	20	—	17	—	19	—	12	—	20	—	14	—	14	—	12	—	11	—	15	—
<i>Diseases of Organs of Locomotion.</i>																						
Caries, Necrosis .....		3	6	5	5	10	5	3	4	4	4	2	5	7	2	6	5	1	5	3	3	—
Arthritis, Ostitis, Periostitis .....		—	—	—	2	2	—	1	1	2	—	2	2	3	—	3	1	2	2	—	4	—
Other Diseases of Organs of Locomotion .....		3	5	1	1	1	2	5	2	1	4	4	—	6	5	7	5	3	3	1	6	—
<i>Diseases of Integumentary System.</i>																						
Carbuncle .....		—	—	—	1	1	1	2	1	1	—	1	—	1	1	1	1	2	—	—	—	—
Phlegmon, Cellulitis .....		4	1	1	—	1	1	1	1	4	1	1	—	4	2	3	2	5	1	1	—	—
Lupus .....		—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
Ulcer, Bedsore .....		1	—	—	—	—	1	1	—	1	—	1	—	—	—	—	1	—	—	1	—	—
Eczema .....		2	1	2	1	3	3	2	1	4	1	1	1	2	—	2	3	—	—	2	1	—
Pemphigus .....		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Integumentary System .....		1	—	1	2	—	—	—	2	—	—	—	—	—	—	1	1	2	3	1	—	—
VII.	<i>Accident or Negligence.</i>																					
Fracture and Contusion .....		65	12	58	17	70	14	45	13	71	9	72	16	58	13	68	13	65	12	75	6	—
Gunshot Wounds .....		6	—	8	—	6	1	2	—	3	1	4	—	5	—	3	—	2	—	1	2	—
Cut, Stab .....		1	—	1	—	—	—	3	1	1	—	1	—	—	—	—	1	1	1	—	1	—
Burn, Scald .....		4	11	6	5	7	5	12	17	10	10	11	19	11	17	12	27	8	23	8	18	—
Poison .....		8	2	12	1	8	2	5	1	5	—	4	2	3	2	3	—	6	2	8	2	—
Drowning .....		34	9	26	6	29	7	52	11	39	3	33	7	28	7	43	3	56	8	26	8	—
Suffocation .....		11	4	7	5	13	3	6	3	8	5	7	3	2	3	4	—	2	4	11	2	—
Otherwise .....		2	4	10	5	15	4	10	7	27	8	28	14	29	20	49	44	35	22	21	16	—
<i>Homicide.</i>																						
Murder, Manslaughter .....		2	1	2	1	4	6	2	1	4	3	6	2	2	2	2	5	3	4	—	1	—
Justifiable Homicide .....		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Suicide.</i>																						
Gunshot Wounds .....		5	1	6	—	11	—	8	2	5	1	8	—	9	1	10	—	4	—	7	—	—
Cut, Stab .....		6	2	4	—	5	1	4	2	2	—	3	1	10	—	8	1	7	—	5	2	—
Poison .....		2	—	8	—	7	2	3	1	1	1	2	2	6	5	4	—	3	4	6	2	—
Drowning .....		4	1	1	—	4	4	2	1	1	—	2	3	4	3	1	1	1	6	3	2	—
Hanging .....		6	1	5	2	3	2	8	1	11	—	8	1	11	—	12	2	7	1	4	1	—
Otherwise .....		2	1	—	1	2	—	1	1	1	—	1	—	—	1	1	1	—	1	1	—	—
<i>Execution.</i>																						
Hanging .....		—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—
VIII.	<i>Ill-defined and Not Specified Causes.</i>																					
Dropsy .....		4	7	1	2	2	4	5	2	5	2	5	2	3	3	2	3	2	—	1	4	—
Debility, Atrophy, Inanition .....		148	117	138	145	145	124	107	93	116	107	121	117	120	97	174	133	123	98	88	85	—
Mortification .....		1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tumor .....		2	2	—	—	2	1	1	1	—	3	—	—	—	1	—	1	—	—	1	—	—
Abscess .....		—	—	—	1	3	1	1	1	2	1	—	2	1	—	2	1	—	—	2	2	—
Hæmorrhage .....		2	2	1	2	—	1	1	—	1	—	4	—	3	2	1	—	1	1	2	1	—
Sudden Death (cause unascertained)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Ill-defined and not Specified Causes .....		12	7	22	2	16	11	13	7	17	5	14	8	13	9	5	4	11	7	11	11	—

No. 28.—RETURN showing the Total Number of Deaths in South Australia (exclusive of the Northern Territory) from each cause during Ten Years, 1891-1900.

Class.	Causes of Death.							Total.	Males.	Females.
	ALL CAUSES .. .. .							41,230	22,360	18,870
I.	SPECIFIC FERRILE OR ZYMOTIC DISEASES .. .. .							6,272	3,128	3,144
II.	PARASITIC DISEASES .. .. .							149	77	72
III.	DIETIC DISEASES .. .. .							308	193	115
IV.	CONSTITUTIONAL DISEASES .. .. .							6,770	3,543	3,227
V.	DEVELOPMENTAL DISEASES .. .. .							4,555	2,439	2,116
VI.	LOCAL DISEASES .. .. .							17,995	9,684	8,311
VII.	VIOLENCE .. .. .							2,455	1,816	639
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES .. .. .							2,726	1,480	1,246
	I.									
	1. Miasmatic Diseases .. .. .							3,444	1,738	1,706
	2. Diarrhoeal Diseases .. .. .							2,284	1,205	1,079
	3. Malarial Diseases .. .. .							12	9	3
	4. Zoogenous Diseases .. .. .							—	—	—
	5. Venereal Diseases .. .. .							73	47	26
	6. Septic Diseases .. .. .							459	129	330
	II.									
	Parasitic Diseases .. .. .							149	77	72
	III.									
	Dietic Diseases .. .. .							308	193	115
	IV.									
	Constitutional Diseases .. .. .							6,770	3,543	3,227
	V.									
	Developmental Diseases .. .. .							4,555	2,439	2,116
	VI.									
	1. Diseases of Nervous System .. .. .							4,213	2,326	1,887
	2. " Organs of Special Sense .. .. .							53	27	26
	3. " Circulatory System .. .. .							3,600	1,903	1,697
	4. " Respiratory System .. .. .							4,451	2,524	1,927
	5. " Digestive System .. .. .							3,560	1,856	1,704
	6. " Lymphatic System and Ductless Glands .. .. .							83	37	46
	7. " Urinary System .. .. .							1,282	841	441
	8. " Reproductive System—									
	(a) Diseases of Organs of Generation .. .. .							152	10	142
	(b) Diseases of Parturition .. .. .							314	—	314
	9. " Organs of Locomotion .. .. .							180	91	89
	10. " Integumentary System .. .. .							107	69	38
	VII.									
	1. Accident or Negligence .. .. .							2,053	1,509	544
	2. Homicide .. .. .							54	28	26
	3. Suicide .. .. .							345	276	69
	4. Execution .. .. .							3	3	—
	VIII.									
	Ill-defined and not Specified Causes .. .. .							2,726	1,480	1,246
	Miasmatic Diseases.									
1.	Small-pox .. .. .							1	1	—
	Chicken-pox .. .. .							6	3	3
	Measles .. .. .							374	180	194
	Epidemic Rose Rash .. .. .							6	4	2
	Scarlet Fever .. .. .							103	52	51
	Influenza .. .. .							822	425	397
	Whooping Cough .. .. .							543	262	281
	Mumps .. .. .							3	2	1
	Diphtheria .. .. .							666	299	367
	Cerebro-spinal Fever .. .. .							1	—	1
	Simple and Ill-defined Fever .. .. .							35	19	16
	Enteric Fever .. .. .							881	488	393
	Other Miasmatic Diseases .. .. .							3	3	—
	Diarrhoeal Diseases.									
	Simple Cholera .. .. .							83	45	38
	Diarrhea, Dysentery .. .. .							2,201	1,160	1,041
	Malarial Diseases.									
	Remittent Fever .. .. .							7	5	2
	Ague, Intermittent Fever .. .. .							2	1	1
	Other Malarial Diseases .. .. .							3	3	—
	Zoogenous Diseases.									
	Glanders .. .. .							—	—	—



No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females
<i>Venereal Diseases.</i>				
	Syphilis .. .. .	56	30	26
	Gonorrhœa, Stricture of Urethra .. .. .	17	17	—
<i>Septic Diseases.</i>				
	Phagedaena .. .. .	2	—	2
	Erysipelas .. .. .	125	67	58
	Pyæmia, Septicæmia .. .. .	131	62	69
	Puerperal Fever .. .. .	201	—	201
<i>Parasitic Diseases.</i>				
II.	Thrush .. .. .	38	17	21
	Other Diseases from Vegetable Parasites .. .. .	4	2	2
	Hydatid Disease .. .. .	107	58	49
	Other Diseases from Animal Parasites .. .. .	—	—	—
<i>Dietic Diseases.</i>				
III.	Starvation, Want of Breast Milk .. .. .	199	117	82
	Scurvy .. .. .	—	—	—
	Intemperance { Chronic Alcoholism .. .. .	94	61	33
	{ Delirium Tremens .. .. .	15	15	—
<i>Constitutional Diseases.</i>				
IV.	Rheumatic Fever, Rheumatism of Heart .. .. .	167	73	94
	Rheumatism .. .. .	77	38	39
	Gout .. .. .	58	47	11
	Cancer, Malignant Disease .. .. .	1,771	937	834
	Tabes Mesenterica .. .. .	150	83	67
	Tubercular Meningitis (Acute Hydrocephalus) .. .. .	414	234	180
	Phthisis .. .. .	3,211	1,680	1,531
	Other forms of Tuberculosis, Scrofula .. .. .	486	251	235
	Anæmia, Chlorosis, Leucocythæmia .. .. .	146	58	88
	Diabetes Mellitus .. .. .	210	112	98
	Other Constitutional Diseases .. .. .	80	30	50
<i>Developmental Diseases.</i>				
V.	Premature Birth .. .. .	1,048	608	440
	Atelectasis .. .. .	82	47	35
	Cyanosis .. .. .	33	24	9
	Spina Bifida .. .. .	39	18	21
	Imperforate Anus .. .. .	22	17	5
	Cleft Palate, Harelip .. .. .	18	9	9
	Other Congenital Defects .. .. .	131	75	56
	Old Age .. .. .	3,182	1,641	1,541
<i>Diseases of Nervous System.</i>				
VI.	Inflammation of Brain or its Membranes .. .. .	647	350	297
	Apoplexy .. .. .	940	459	481
	Softening of Brain .. .. .	85	48	37
	Hemiplegia, Brain Paralysis .. .. .	130	65	65
	Insanity, General Paralysis of Insane .. .. .	448	282	166
	Chorea .. .. .	9	—	9
	Epilepsy .. .. .	174	97	77
	Convulsions .. .. .	1,012	560	452
	Laryngismus Stridulus .. .. .	14	11	3
	Idiopathic Tetanus .. .. .	46	30	16
	Paraplegia, Disease of Spinal Cord .. .. .	139	97	42
	Other Diseases of Nervous System .. .. .	569	327	242
<i>Diseases of Organs of Special Sense.</i>				
	Otitis, Otorrhœa and Disease of Ear .. .. .	43	21	22
	Ophthalmia and Disease of Eye .. .. .	4	2	2
	Epistaxis, Disease of Nose .. .. .	6	4	2
<i>Diseases of Circulatory System.</i>				
	Endocarditis, Valvular Disease .. .. .	402	209	193
	Pericarditis .. .. .	28	14	14
	Hypertrophy of Heart .. .. .	10	4	6
	Angina Pectoris .. .. .	51	33	18
	Syncope .. .. .	169	81	88
	Aneurism .. .. .	87	77	10
	Senile Gangrene .. .. .	28	16	12
	Embolism, Thrombosis .. .. .	123	58	65
	Phlebitis .. .. .	8	2	6
	Varicose Veins .. .. .	1	—	1
	Other Diseases of Circulatory System .. .. .	2,693	1,409	1,284

## No. 28.—RETURN of the Total Number of Deaths, &amp;c.—continued.

Class.	Cause of Death.							Total.	Males.	Females.
<i>Diseases of Respiratory System.</i>										
Laryngitis .. .. .	..	..	..	..	..	..	..	80	51	29
Croup .. .. .	..	..	..	..	..	..	..	190	125	65
Other Diseases of Larynx and Trachea .. .. .	..	..	..	..	..	..	..	17	13	4
Emphysema, Asthma .. .. .	..	..	..	..	..	..	..	153	99	54
Bronchitis .. .. .	..	..	..	..	..	..	..	1,486	791	695
Pneumonia .. .. .	..	..	..	..	..	..	..	2,122	1,205	917
Pleurisy .. .. .	..	..	..	..	..	..	..	189	117	72
Other Diseases of Respiratory System .. .. .	..	..	..	..	..	..	..	214	123	91
<i>Diseases of Digestive System.</i>										
Stomatitis .. .. .	..	..	..	..	..	..	..	25	14	11
Dentition .. .. .	..	..	..	..	..	..	..	477	261	216
Sore Throat, Quinsy .. .. .	..	..	..	..	..	..	..	46	28	18
Dyspepsia .. .. .	..	..	..	..	..	..	..	55	28	27
Hæmatemesis .. .. .	..	..	..	..	..	..	..	21	13	8
Melæna .. .. .	..	..	..	..	..	..	..	3	2	1
Disease of Stomach .. .. .	..	..	..	..	..	..	..	232	114	118
Enteritis .. .. .	..	..	..	..	..	..	..	1,258	666	592
Ulceration of Intestines .. .. .	..	..	..	..	..	..	..	24	11	13
Ileus, Obstruction of Intestines .. .. .	..	..	..	..	..	..	..	204	99	105
Stricture, or Strangulation of Intestines .. .. .	..	..	..	..	..	..	..	12	8	4
Intussusception of Intestines .. .. .	..	..	..	..	..	..	..	38	22	16
Hernia .. .. .	..	..	..	..	..	..	..	104	54	50
Fistula .. .. .	..	..	..	..	..	..	..	2	1	1
Peritonitis .. .. .	..	..	..	..	..	..	..	311	134	177
Ascites .. .. .	..	..	..	..	..	..	..	23	9	14
Gallstones .. .. .	..	..	..	..	..	..	..	47	15	32
Cirrhosis of Liver .. .. .	..	..	..	..	..	..	..	172	102	70
Other Diseases of Liver .. .. .	..	..	..	..	..	..	..	344	190	154
Other Diseases of Digestive System .. .. .	..	..	..	..	..	..	..	162	85	77
<i>Diseases of Lymphatic System and Ductless Glands.</i>										
Diseases of Lymphatic System .. .. .	..	..	..	..	..	..	..	38	23	15
Diseases of Spleen .. .. .	..	..	..	..	..	..	..	8	3	5
Bronchocele .. .. .	..	..	..	..	..	..	..	18	2	16
Addison's Disease .. .. .	..	..	..	..	..	..	..	19	9	10
<i>Diseases of Urinary System.</i>										
Acute Nephritis .. .. .	..	..	..	..	..	..	..	183	92	91
Bright's Disease .. .. .	..	..	..	..	..	..	..	639	386	253
Uræmia .. .. .	..	..	..	..	..	..	..	80	41	39
Suppression of Urine .. .. .	..	..	..	..	..	..	..	11	11	—
Calculus .. .. .	..	..	..	..	..	..	..	34	28	6
Hæmaturia .. .. .	..	..	..	..	..	..	..	7	6	1
Diseases of Bladder and Prostate .. .. .	..	..	..	..	..	..	..	207	197	10
Other Diseases of Urinary System .. .. .	..	..	..	..	..	..	..	121	80	41
<i>Diseases of Organs of Generation.</i>										
Ovarian Disease .. .. .	..	..	..	..	..	..	..	50	—	50
Diseases of Uterus and Vagina .. .. .	..	..	..	..	..	..	..	80	—	80
Disorders of Menstruation .. .. .	..	..	..	..	..	..	..	4	—	4
Pelvic Abscess .. .. .	..	..	..	..	..	..	..	10	2	8
Perineal Abscess .. .. .	..	..	..	..	..	..	..	2	2	—
Diseases of Testes, Scrotum, &c. .. .. .	..	..	..	..	..	..	..	6	6	—
<i>Diseases of Parturition.</i>										
Abortion, Miscarriage .. .. .	..	..	..	..	..	..	..	32	—	32
Puerperal Mania .. .. .	..	..	..	..	..	..	..	13	—	13
Puerperal Convulsions .. .. .	..	..	..	..	..	..	..	37	—	37
Placenta Prævia, Flooding .. .. .	..	..	..	..	..	..	..	73	—	73
Phlegmasia Dolens .. .. .	..	..	..	..	..	..	..	5	—	5
Other Accidents of Childbirth .. .. .	..	..	..	..	..	..	..	154	—	154
<i>Diseases of Organs of Locomotion.</i>										
Caries, Necrosis .. .. .	..	..	..	..	..	..	..	88	44	44
Arthritis, Ostitis, Periostitis .. .. .	..	..	..	..	..	..	..	27	15	12
Other Diseases of Organs of Locomotion .. .. .	..	..	..	..	..	..	..	65	32	33
<i>Diseases of Integumentary System.</i>										
Carbuncle .. .. .	..	..	..	..	..	..	..	14	9	5
Phlegmon, Cellulitis .. .. .	..	..	..	..	..	..	..	34	25	9
Lupus .. .. .	..	..	..	..	..	..	..	5	4	1
Ulcer, Bedsore .. .. .	..	..	..	..	..	..	..	7	5	2
Eczema .. .. .	..	..	..	..	..	..	..	32	20	12
Pemphigus .. .. .	..	..	..	..	..	..	..	1	—	1
Other Diseases of Integumentary System .. .. .	..	..	..	..	..	..	..	14	6	8

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.							Total.	Males.	Females.
VII.	<i>Accident or Negligence.</i>									
	Fracture and Contusion .. .. .	..	..	..	..	..	..	772	647	125
	Gunshot Wounds .. .. .	..	..	..	..	..	..	44	40	4
	Cut, Stab .. .. .	..	..	..	..	..	..	12	8	4
	Burn, Scald .. .. .	..	..	..	..	..	..	241	89	152
	Poison .. .. .	..	..	..	..	..	..	76	62	14
	Drowning .. .. .	..	..	..	..	..	..	435	366	69
	Suffocation .. .. .	..	..	..	..	..	..	103	71	32
	Otherwise .. .. .	..	..	..	..	..	..	370	226	144
	<i>Homicide.</i>									
	Murder, Manslaughter .. .. .	..	..	..	..	..	..	53	27	26
	Justifiable Homicide .. .. .	..	..	..	..	..	..	1	1	—
	<i>Suicide.</i>									
	Gunshot Wounds .. .. .	..	..	..	..	..	..	78	73	5
	Cut, Stab .. .. .	..	..	..	..	..	..	63	54	9
	Poison .. .. .	..	..	..	..	..	..	59	42	17
	Drowning .. .. .	..	..	..	..	..	..	44	23	21
	Hanging .. .. .	..	..	..	..	..	..	86	75	11
	Otherwise .. .. .	..	..	..	..	..	..	15	9	6
	<i>Execution.</i>									
	Hanging .. .. .	..	..	..	..	..	..	3	3	—
VIII.	<i>Ill-defined and Not Specified Causes.</i>									
	Dropsy .. .. .	..	..	..	..	..	..	59	30	29
	Debility, Atrophy, Inanition .. .. .	..	..	..	..	..	..	2,396	1,280	1,116
	Mortification .. .. .	..	..	..	..	..	..	6	3	3
	Tumor .. .. .	..	..	..	..	..	..	15	6	9
	Abscess .. .. .	..	..	..	..	..	..	20	11	9
	Hæmorrhage .. .. .	..	..	..	..	..	..	25	16	9
	Sudden Death (cause unascertained) .. .. .	..	..	..	..	..	..	—	—	—
	Other Ill-defined and not Specified Causes .. .. .	..	..	..	..	..	..	205	134	71



No. 29.—RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) from each Cause during the Ten Years, 1891-1900, arranged in the Order of Fatality.

Order of Fatality.	Causes of Death.	Total.	Males.	Females.	Order of Fatality.	Causes of Death.	Total.	Males.	Females.
1	Phthisis .....	3,211	1,680	1,531	74	Cut, stab (suicidal) .....	63	54	9
2	Old age .....	3,182	1,641	1,541	75	Dropsy undefined or ill-defined .....	59	30	29
3	Diseases of circulatory system (chiefly of heart) not separately classed .....	2,693	1,409	1,284	76	Poisoning (suicidal) .....	59	42	17
4	Debility, atrophy, inanition .....	2,396	1,280	1,116	77	Gout .....	58	47	11
5	Diarrhœa, dysentery .....	2,201	1,160	1,041	78	Syphilis .....	56	30	26
6	Pneumonia .....	2,122	1,205	917	79	Dyspepsia .....	55	28	27
7	Cancer, malignant disease .....	1,771	937	834	80	Murder, manslaughter .....	53	27	26
8	Bronchitis .....	1,486	791	695	81	Angina pectoris .....	51	33	18
9	Enteritis .....	1,258	666	592	82	Ovarian disease .....	50	—	50
10	Premature birth .....	1,048	608	440	83	Gallstones .....	47	15	32
11	Convulsions (except puerperal) .....	1,012	560	452	84	Sore throat, quinsy .....	46	28	18
12	Apoplexy .....	940	459	481	85	Idiopathic tetanus .....	46	30	16
13	Enteric fever .....	881	488	393	86	Gunshot wounds (accidental) .....	44	40	4
14	Influenza .....	822	425	397	87	Drowning (suicidal) .....	44	23	21
15	Fracture and contusion (accidental) .....	772	647	125	88	Otitis, otorrhœa, and disease of ear .....	43	21	22
16	Diphtheria .....	666	299	367	89	Spina bifida .....	39	18	21
17	Inflammation of brain or its membranes .....	647	350	297	90	Diseases of lymphatic system .....	38	23	15
18	Bright's disease .....	639	386	253	91	Intussusception of intestine .....	38	22	16
19	Diseases of nervous system not separately classed .....	569	327	242	92	Thrush .....	38	17	21
20	Whooping cough .....	543	262	281	93	Puerperal convulsions .....	37	—	37
21	Forms of tuberculosis not separately classed (scrofula) .....	486	251	235	94	Simple and ill-defined fever .....	35	19	16
22	Dentition .....	477	261	216	95	Urinary calculus .....	34	28	6
23	Insanity, general paralysis of insane .....	448	282	166	96	Phlegmon, cellulitis .....	34	25	9
24	Drowning (accidental) .....	435	366	69	97	Cyanosis .....	33	24	9
25	Tubercular meningitis (acute hydrocephalus) .....	414	234	180	98	Eczema .....	32	20	12
26	Endocarditis, valvular disease of the heart .....	402	209	193	99	Abortion, miscarriage .....	32	—	32
27	Measles .....	374	180	194	100	Pericarditis .....	28	14	14
28	Accidents not separately classed .....	370	226	144	101	Senile gangrene .....	28	10	12
29	Diseases of liver (except cirrhosis and gallstones) .....	344	190	154	102	Arthritis, osteitis, periostitis .....	27	15	12
30	Peritonitis .....	311	134	177	103	Hæmorrhage undefined or ill-defined .....	25	16	9
31	Burn, scald (accidental) .....	241	89	152	104	Stomatitis .....	25	14	11
32	Disease of stomach .....	232	114	118	105	Ulceration of intestine .....	24	11	13
33	Diseases of respiratory system not separately classed .....	214	123	91	106	Ascites .....	23	9	14
34	Diabetes mellitus .....	210	112	98	107	Imperforate anus .....	22	17	5
35	Diseases of bladder and prostate .....	207	197	10	108	Hæmatemesis .....	21	13	8
36	Ill-defined and unspecified causes not separately classed .....	205	134	71	109	Abscess undefined or ill-defined .....	20	11	9
37	Ilæus, obstruction of intestine .....	204	99	105	110	Addison's disease .....	19	9	10
38	Puerperal fever .....	201	—	201	111	Bronchocele .....	18	2	16
39	Starvation, want of breast milk .....	199	117	82	112	Cleft palate, harelip .....	18	9	9
40	Croup .....	190	125	65	113	Diseases of larynx and trachea (except croup and laryngitis) .....	17	13	4
41	Pleurisy .....	189	117	72	114	Gonorrhœa, stricture of urethra .....	17	17	—
42	Acute nephritis .....	183	92	91	115	Delirium tremens .....	15	15	—
43	Epilepsy .....	174	97	77	116	Tumor undefined or ill-defined .....	15	6	9
44	Cirrhosis of liver .....	172	102	70	117	Suicides not separately classed .....	15	9	6
45	Syncope .....	169	81	88	118	Laryngismus stridulus .....	14	11	3
46	Rheumatic fever, rheumatism of heart .....	167	73	94	119	Carbuncle .....	14	9	5
47	Diseases of digestive system not separately classed .....	162	85	77	120	Diseases of integumentary system not separately classed .....	14	6	8
48	Accidents of childbirth not separately classed .....	154	—	154	121	Puerperal mania .....	13	—	13
49	Emphysema, asthma .....	153	99	54	122	Stricture or strangulation of intestine .....	12	8	4
50	Tabes mesenterica .....	150	83	67	123	Cut, stab (accidental) .....	12	8	4
51	Anæmia, chlorosis, leucocythæmia .....	146	58	88	124	Suppression of urine .....	11	11	—
52	Paraplegia, disease of spinal cord .....	139	97	42	125	Pelvic abscess .....	10	2	8
53	Congenital defects not separately classed .....	131	75	56	126	Hypertrophy of heart .....	10	4	6
54	Pyæmia, septicæmia .....	131	62	69	127	Chorea .....	9	—	9
55	Hemiplegia, brain paralysis .....	130	65	65	128	Diseases of spleen .....	8	3	5
56	Erysipelas .....	125	67	58	129	Phlebitis .....	8	2	6
57	Embolism, thrombosis .....	123	58	65	130	Hæmaturia .....	7	6	1
58	Diseases of urinary system not separately classed .....	121	80	41	131	Remittent fever .....	7	5	2
59	Hydatid disease .....	107	58	49	132	Ulcer, bed sore .....	7	5	2
60	Hernia .....	104	54	50	133	Chicken-pox .....	6	3	3
61	Suffocation (accidental) .....	103	71	32	134	Mortification undefined or ill-defined .....	6	3	3
62	Scarlet fever .....	103	52	51	135	Epistaxis and disease of nose .....	6	4	2
63	Chronic alcoholism .....	94	61	33	136	Epidemic rose rash .....	6	4	2
64	Caries, necrosis .....	88	44	44	137	Diseases of testes, scrotum, &c. ....	6	6	—
65	Aneurism .....	87	77	10	138	Lupus .....	5	4	1
66	Hanging (suicidal) .....	86	75	11	139	Phlegmasia dolens .....	5	—	5
67	Softening of brain .....	85	48	37	140	Ophthalmia and disease of eye .....	4	2	2
68	Simple cholera .....	83	45	38	141	Disorders of menstruation .....	4	—	4
69	Atelectasis .....	82	47	35	142	Diseases from vegetable parasites not separately classed .....	4	2	2
70	Laryngitis .....	80	51	29	143	Mumps .....	3	2	1
71	Constitutional diseases not separately classed .....	80	30	50	144	Hanging (execution) .....	3	3	—
72	Uræmia .....	80	41	39	145	Melæna .....	3	2	1
73	Diseases of uterus and vagina .....	80	—	80	146	Malarial disease not separately classed .....	3	3	—
	Gunshot wounds (suicidal) .....	78	73	5	147	Miasmatic diseases not separately classed .....	3	3	—
	Rheumatism (except of heart and rheumatic fever) .....	77	38	39	148	Phagedæna .....	2	—	2
	Poisoning (accidental) .....	76	62	14	149	Ague, intermittent fever .....	2	1	1
	Placenta prævia, flooding .....	73	—	73	150	Perineal abscess .....	2	2	—
	Diseases of organs of locomotion not separately classed .....	65	32	33	151	Fistula .....	2	1	1
					152	Varicose veins .....	1	—	1
					153	Justifiable homicide .....	1	1	—
					154	Pemphigus .....	1	—	1
					155	Smallpox .....	1	—	1
					156	Cerebro-spinal fever .....	1	—	1

No. 30.—RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1900.

		Cause of Death.												Total.		
		Wounds.				Poisoning.		Drowning.		Hanging.		Otherwise.				
		Gunshot.		Cut, Stab, &c.												
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Total.
Metropolitan	City of Adelaide .....	2	—	2	1	2	1	1	—	—	1	1	—	8	3	11
	Suburbs “ .....	—	—	1	—	3	—	2	1	3	—	—	—	9	1	10
Extra-Metropolitan .....		5	—	2	1	1	1	—	1	1	—	—	—	9	3	12
Total .....		7	—	5	2	6	2	3	2	4	1	1	—	26	7	33

No. 31.—RETURN showing the Ages of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1900.

		Ages.																														
		Under 25 years.		25-		30-		35-		40-		45-		50-		55-		60-		65-		70-		75 and Upwards.		Not Stated.		Totals.				
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
Metropolitan {	City of Adelaide .....	—	—	—	I	I	—	I	I	I	—	I	—	I	—	—	—	I	—	2	I	—	—	—	—	—	—	—	—	8	3	II
	Suburbs “ .....	I	—	I	—	I	—	2	—	2	—	I	—	—	—	—	—	I	—	—	I	—	—	—	—	—	—	—	9	I	IO	
Extra-Metropolitan .....		—	—	I	—	2	—	—	I	2	—	3	—	—	—	—	—	—	—	I	—	—	—	I	—	—	—	9	3	I2		
Total .....		I	—	2	I	4	—	3	2	5	—	5	—	I	—	—	—	2	—	3	3	—	—	—	I	—	—	26	7	33		

**No. 32.—DECENNIAL RETURN** showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory).

Year.	Totals.	Males.	Females.
1891 .....	31	25	6
1892 .....	27	24	3
1893 .....	41	32	9
1894 .....	34	26	8
1895 .....	23	21	2
1896 .....	31	24	7
1897 .....	50	40	10
1898 .....	41	36	5
1899 .....	34	22	12
1900 .....	33	26	7

**VACCINATIONS.**

**No. 33.—RETURN** showing the Number of Public Vaccinators, the Number of Children whose Births were Registered during the Year 1900; the total Number of successful Vaccinations of Persons of all Ages, during the same period; and the Amount Paid by Government.

Number of Public Vaccinators.	Number of successful Vaccinations during the year.	Number of Births Registered during the year.	Proportion of Vaccinations to 100 Children Registered during the year.	Amount Paid by Government for the year's Vaccinations.
197	5,588	9,143	61·12	£ s. d. 837 17 6

**No. 34.—DECENNIAL RETURN** showing the Number of successful Vaccinations, and the Proportion to Births registered in South Australia (exclusive of the Northern Territory.)

Year.	No. of Births Registered.	No. of successful Vaccinations.	No. of Vaccinations to 100 Births Registered.
1891.....	10,737	8,187	76·25
1892.....	10,544	9,509	90·18
1893.....	10,683	7,177	67·18
1894.....	10,476	9,029	86·19
1895.....	10,537	7,636	72·47
1896.....	10,012	6,430	64·22
1897.....	9,535	6,331	66·40
1898.....	8,945	5,605	62·66
1899.....	9,397	4,854	51·65
1900.....	9,143	5,588	61·12



No. 35.—DECENNIAL RETURN showing the Number of Deaths in Public Institutions in South Australia (exclusive of the Northern Territory).

H—No. 19.

Name of Institution.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.
<b>HOSPITALS—</b>										
Adelaide Hospital .....	205	193	213	209	260	222	225	246	257	243
Mount Gambier Hospital .....	13	13	18	18	15	17	18	15	14	17
Port Adelaide Casualty Hospital .....	2	1	4	6	2	1	—	1	2	3
Port Augusta Hospital .....	34	29	23	29	14	21	26	19	24	20
Port Lincoln Hospital .....	5	4	5	2	3	3	2	5	5	2
Wallaroo Hospital .....	11	12	9	11	21	18	14	13	16	7
Clare Casualty Hospital .....	—	—	1	—	—	—	1	3	1	1
† Waukaringa Hospital (formerly at Teetulpa) .....	1	—	—	2	—	—	—	—	—	—
Port Pirie Hospital .....	11	12	12	14	9	7	14	20	21	17
<b>LUNATIC ASYLUMS—</b>										
Adelaide .....	34	24	17	17	23	21	16	19	14	9
.....	56	45	44	41	50	49	49	61	77	85
<b>DESTITUTE—</b>										
*Destitute Asylum .....	80	56	54	46	53	59	77	84	70	54
*Lying-in Department .....	2	6	1	5	8	6	6	4	4	1
State Children's Department {	2	1	3	—	—	2	2	4	—	—
	7	7	10	7	7	4	7	12	8	6
<b>GAOLS AND PENAL ESTABLISHMENTS—</b>										
Adelaide Gaol .....	—	—	—	1†	1†	1	1†	1	—	1†
Gladstone Gaol .....	—	—	1	—	—	—	—	2	1	—
Mount Gambier Gaol .....	—	—	—	—	—	—	—	—	—	—
Port Augusta Gaol .....	—	—	—	—	—	—	—	—	—	—
Port Lincoln Gaol .....	—	—	—	—	—	—	—	—	—	—
Redruth Gaol .....	—	—	—	—	—	—	—	—	—	—
Wallaroo Gaol .....	—	—	—	—	—	—	—	—	—	—
Yatala Labor Prison .....	1	2	3	—	—	—	—	—	—	1

\* Including children.

+ Closed since September 4th, 1894.

‡ Executed.

G. H. AYLIFFE, Registrar-General of Births, &c.